


SERKET

سرکت



Volume 1

Cairo , Egypt

Part 4-5

1990

PREFACE

Introducing this issue, the last one of volume 1, I hope I could put the basis of SERKET as an Egyptian, Middle Eastern, and North African arachnological bulletin. The start is humble but not bad!

The second volume of SERKET (1990-1991), in 4 parts, will reflect more "evolution" in its way to be a formal scientific bulletin (plesio- or apomorphic ?!). Standard sections will appear and more Arachnid groups will be dealt with. Other authors will publish their works here, specially after the end of volume 1's venture!

Subscription for volume 2 : US \$ 20.00 (personal rate),
US \$ 30.00 (institutional r.).

Correspondence concerning subscription, back issues, exchange, publication, etc. should be addressed to the editor.

The Editor

Hisham K. El-Hennawy
41, El-Manteqa El-Rabia St.,
Heliopolis, Cairo, Egypt.

Annotated Checklist of Egyptian Spider Species
(Arachnida : Araneae)

Hisham K. El-Hennawy
41, El-Mantega El-Rabia St., Heliopolis, Cairo

Introduction

The scientific study of Egyptian spiders began with the publication of Forskål's description of three spider species from Egypt in his work published by C. Niebuhr (1775). After fifty years, Audouin completed and published the work of Savigny in describing 81 spider species from Egypt and Palestine (north to Akko) which were figured on seven of the nine plates devoted to Arachnida in that great historical work. [Savigny described spider species of pl.1 f.1 - pl.4 f.10 noting their localities and Audouin described the other species without reference to their localities]

The second catalogue of Egyptian spiders was that of Cambridge (1876) which had been published after his records of 15 species from Sinai (1870) and other species during 1872 and 1874. In his catalogue, Cambridge recorded 164 species by himself, from Alexandria to Assuan (63 of them as new species) and 62 species from literature (not found by himself) to raise the number of recorded species to 226. In that catalogue, the work of L. Koch (1875) was represented by his 15 spp. from Cairo (7 of them as new species).

After that, the works of Simon were the most important from 1880 till 1910. [1880a: 11 spp. collected by M.A. Letourneux near Alexandria; 1880c: 3 n.spp. from Alexandria, Edko, and Ismailia; 1899: 32 spp. collected from Bir-Hooker, Wadi Natron by M.C.-J. Dewitz; 1907: 33 spp. from Cairo, Upper Egypt (near Assuan), etc.; 1910: 36 spp. in his first part of the Catalogue of Arachnids of Northern Africa]

During the forties of this century, Denis described new species from Egypt and his work upon spiders of Siwa (1947) was a very considerable addition to our knowledge of Egyptian Oases' spiders. In that work, Denis recorded 89 species, 25 of them as new species. In the same time, Dr. A.I. Hassan, the first Egyptian araneologist, began his studies to publish two papers upon Theraphosidae and Decobiidae (1950, 1953) and to prepare his own catalogue. Hassan's unpublished catalogue "Classification of Recent Spiders" was prepared about 1950 to include scientific names (of 318 species arranged in 29 families), synonyms, localities in Arabic, and many separate notes among pages.

Unfortunately, I did not know about Hassan's catalogue until 1982 after the first meeting with Dr. Hassan when I myself had finished the preparation of my first list of species (which included 321 species in 33 families). Since that time, only a list of Egyptian spider genera had been published by me (1987) to include only the number of species with every genus name.

This now list has been prepared depending upon the literature and refernces which I could find. It was revised many times and classified on the basis of the most recent spider classification. It includes 367 species arranged in 173 genera of 40 families. All taxa are arranged alphabetically to facilitate the usage of the list.

Under every species name, only the examined references are mentioned. References to different catalogues (Roewer, Brignoli, and Platnick) are included. Localities of available known records are arranged alphabetically just before noting different references individually in a chronological order.

Lastly, I would like to thank my father, Mr. Kamal El-Din El-Hennawy, who supplied me with a computer, a printer and enough fund for my work. This list would not appear in this form without his great support and encouragement.

List of Abbreviations

Catalogues:

R1	Roewer's Katalog der Araneae, volume 1 (1942)
R2a	-----, ----- 2 part 1 (1954)
R2b	-----, ----- 2 part 2 (1954)
B	Brignoli's A Catalogue of the Araneae (1983)
P	Platnick's Advances in Spider Taxonomy (1989)

0000 page number in the catalogue

♂ ♀ o male, female, and/or immature (described or noted)

(00) references number per species in a catalogue

(T) type-species of a genus

Rec records (localities from which the species is recorded)

Ref references, within which the species is recorded from Egypt, from its area, or as a new species

List of Families

Infraorder Mygalomorphae

Nemesiidae Theraphosidae

Infraorder Araneomorphae

Agelenidae	Linyphiidae	Prodidomidae
Araneidae	Liocranidae	Salticidae
Cithaeronidae	Loxoscelidae	Scytodidae
Clubionidae	Lycosidae	Segestriidae
Corinnidae	Mimetidae	Selenopidae
Dictynidae	Mysmenidae	Tetragnathidae
Dolomedidae	Decobiidae	Theridiidae
Dysderidae	Oonopidae	Thomisidae
Eresidae	Oxyopidae	Titanoecidae
Filistatidae	Palpimanidae	Uloboridae
Gnaphosidae	Philodromidae	Urocteidae
Hersiliidae	Pholcidae	Zodariidae
Heteropodidae	Pisauridae	

List of Species

Order Araneida
Suborder Opisthothelae
Infraorder Mygalomorphae

Family **Nemesiidae**Genus **Nemesia** Savigny, 1825N. cellicola Savigny, 1825 (T) R1 180 ♂♀ (4)

Rec: Alexandria

- Ref: 1. N.c. Audouin, 1825 pp. 107-8 pl. 1 f. 1 D♀ near Alexandria
2. N.c. Ausserer, 1871 p. 168 D♂
3. N.c. Ausserer, 1875 pp. 153-5 N♂♀
4. N.c. Raven, 1985 p. 95 ff. 79-84 N♂

Family **Theraphosidae**Genus **Chaetopelma** Ausserer, 1871C. aegyptiacum Ausserer, 1871 (T) R1 225 ♂♀ (1)

Rec: El-Fayum

- Ref: 1. C.a. Ausserer, 1871 pp. 191-2 D♂♀ Egypt
2. C.a. Hassan, 1950 pp. 168-170 N♀ desert near Fayoum
3. C.a. Smith, 1988 p. 76 f. 11b ph. (p. 173) D
C. olivaceum (C.L. Koch, 1842) R1 225-6 ♂♀ (5)

Rec: ---

- Ref: 1. C.o. Hassan, 1950 p. 162 N
2. C.o. Smith, 1988 pp. 76-77 f. 13L D
C. shabati Hassan, 1950 B 135 ♂♀ (1)

Rec: Cairo

- Ref: 1. C.s. Hassan, 1950 pp. 163-8 ff. 1-10 D♂♀
dark dampy places in towns [Cairo?]

Infraorder Araneomorphae

Family **Agelenidae**Genus **Agelena** Walckenaer, 1805A. lepida Cambridge, 1876 R2a 37 ♂♀ (2)

Rec: Upper Egypt, Wadi Natron

- Ref: 1. A.l. Cambridge, 1876 pp. 558-9 D♂♀ in tufts of coarse grass and dry herbage on the desert near Gebel y Silsilis, Upper Egypt
2. A.l. Pavesi, 1883 p. 42 N desert of Gebel-y-Silsilis, Upper Egypt
3. A.l. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
4. A.l. Caporiacco, 1928 p. 97 N Egypt
5. A.l. Brignoli, 1977 p. 14 N Upper Egypt, Wadi Natron
6. A.l. Blauwe, 1980b pp. 19-23 ff. 30-35 D♂♀ Egypt

A. 1. deserta Caporiacco, 1933 R2a 37 ♂♀ (3)

Rec: Siwa Oasis

- Ref: 1. A.l.d. Denis, 1947b p. 31 pl. 1 f. 2, pl. 4 f. 1 N♂♀
Siwa, Zegawa, Aghourmih salt marsh,
Anas Yutra, Tarterad Hamid Bakour

A. timida (Savigny, 1825) R2a 37-8 ♂♀ (3)

Rec: Rosetta

- Ref: 1. Arachne t. Audouin, 1825 p. 114 pl. 1 f. 7 D♂
gardens of Rosetta
2. A.t. Brignoli, 1977 p. 14 N Egypt
3. A.t. Blauwe, 1980b p. 26 N sp. incerta Egypt

Genus **Lycosoides** Lucas, 1846L. coarctata (Dufour, 1831) R2a 81 ♂♀ (16)

Rec: Alexandria

- Ref: 1. *Textrix puta* Cambridge, 1872a p. 274 D♀
 2. *Textrix c.* Cambridge, 1876 p. 559 D♀ among stones
 and debris at Alexandria
 3. *Textrix c.* Pavesi, 1878 p. 376 N Egypt
 4. *L.c.* Brignoli, 1977 p. 16 N Egypt
 5. *Textrix c.* Blauwe, 1980a pp. 15-17 f. 18-22 D♂♀ Egypt
 6. *L.c.* Platnick, 1989 p. 402 N Mediterranean

Genus **Tegenaria** Latreille, 1804T. domestica (Clerck, 1757) R2a 77-8 ♂♀ (50)

Rec: Rosetta

- Ref: 1. *Aranea derhamii* Scopoli, 1763 p. 400 D
 2. *Arachne familiaris* Audouin, 1825 pp. 113-4 pl. 1 f. 6 D♀
 from houses of Rosetta
 3. *T.d.* Brignoli, 1977 p. 15 N Egypt

T. pagana C.L. Koch, 1841 R2a 75 ♂♀ (14)

Rec: Cairo

- Ref: 1. *T.p.* L. Koch, 1875 p. 36 N near Cairo
 2. *T. proxima* Cambridge, 1876 p. 559 N Cairo
 3. *T.p.* Pavesi, 1878 p. 375 N Egypt
 4. *T.p.* Brignoli, 1977 p. 15 N Cairo
T. parietina (Fourcroy, 1785) R2a 75-6 ♂♀ (20)

Rec: Alexandria

- Ref: 1. *T. domestica* Audouin, 1825 pp. 112-3 pl. 1 f. 5 D♀
 from houses of Alexandria
 2. *T.p.* Brignoli, 1977 p. 15 N Egypt

Genus **Textrix** Sundevall, 1830T. caudata L. Koch, 1872 R2a 80 ♂♀ (6)

Rec: ---

- Ref: 1. *T.c.* Blauwe, 1980a pp. 12-14 f. 13-17 D♂♀ Egypt

Family **Araneidae**Genus **Araneus** Clerck, 1757A. bituberculata Walckenaer, 1802 R1 782-3 ♂♀ (23)

Rec: Alexandria, Cairo

- Ref: 1. *Epeira dromedaria* Cambridge, 1876 p. 577 N
 near Alexandria and Cairo
A. circe (Savigny, 1825) R1 784 ♂♀ (21)

Rec: Alexandria

- Ref: 1. *Epeira c.* Audouin, 1825 pp. 127-8 pl. 2 f. 9 D♀
 inside houses at Alexandria
 2. *Epeira c.* Cambridge, 1876 p. 577 N at Alexandria
 3. *Epeira c.* Pavesi, 1878 p. 367 N Egypt
A. flavissima Linnaeus, 1758 R2b 1397 nicht zu
 deuten !

Rec: ---

- Ref: 1. *A.f.* Linnaeus, 1758 p. 622 D Egypt
A. perplicata (Cambridge, 1872) R1 789 o♀ (3)

Rec: Alexandria

- Ref: 1. *Epeira p.* Cambridge, 1872a pp. 300-301 D♀ (immature ♂)
 on low-growing plants in geometric snares
 2. *Epeira p.* Cambridge, 1876 p. 577 N near Alexandria

- A. redii Scopoli, 1763 R1 790-1 ♂♀ (26)
 Rec: Sinai
 Ref: 1. A.r. Scopoli, 1763 p.394 D
 2. A.aldrovandi Scopoli, 1763 p.394 D
 3. Epeira solers, var.? Cambridge, 1870 p.819 N
 Jebel Musa, peninsula Sinai
 4. Epeira redii Pavesi, 1883 pp.13-14 N Egypt
A. subfusca (C.L.Koch, 1837) R1 793 ♂♀ (15)
 Rec: Siwa Oasis
 Ref: 1. A.dalmaticus Denis, 1947b p.48 N Siwa
 2. A.dalmaticus minor Denis, 1947b pp.48-9 N Siwa, Siwa
 Tarterad, Baharein, Ilrhabit Uncorde, Girba, Khamissa
A. suspicax (Cambridge, 1876) R1 793 ♂♀ (4)
 Rec: Alexandria, Damietta, El-Fayum, Rosetta, Siwa Oasis,
 Wadi Natron
 Ref: 1. Epeira apoclisa Audouin, 1825 pp.130-2 pl.3 f.1-2 D♂
 island of Rosetta; gardens of Damietta
 2. Epeira s. Cambridge, 1876 p.577 D on rushes
 in a marsh near Alexandria
 3. A.s. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)
 4. A.s. Denis, 1944 p.53 N Birket-el-Zerum in Fayoum
 5. A.s. Denis, 1947b p.49 pl.2 f.10-11 N♂♀ Siwa, Khamissa,
 Gara, Ilrhabit Uncorde, Shiata, Maragi, Koreishid
A. umbraticus Clerck, 1757
 (A.sexipunctata Linnaeus, 1758) R1 791-2 ♂♀ (36)
 Rec: Damietta
 Ref: 1. A.swammerdamii Scopoli, 1763 p.393 D
 2. Epeira umbratica Audouin, 1825 p.132 pl.3 f.3 D♂
 near Damietta
 Genus **Argiope** Savigny, 1825
A. bruennichii (Scopoli, 1772) R1 734-5 ♂♀ (26)
 Rec: ---
 Ref: 1. A.b. Pavesi, 1878 p.367 N Egypt
A. lobata (Pallas, 1772) R1 735 ♂♀ (22)
 Rec: Alexandria, Cairo, Sinai
 Ref: 1. A.sericea Audouin, 1825 pp.124-5 pl.2 f.6 D♀
 near Alexandria and Cairo
 2. A.splendida Audouin, 1825 pp.125-6 pl.2 f.7 D♀ (Akko)
 3. A.sericea Cambridge, 1870 p.819 N convent gardens
 and back of Mount Sinai
 4. A.lodata Pavesi, 1878 p.367 N Egypt
 5. A.l. Denis, 1947b p.44 pl.2 f.5 N♀
A. obscuripes Strand, 1906 R1 736 ♀ (2)
 Rec: Wadi Natron
 Ref: 1. A.o. Strand, 1906 p.618 D♀ Bir-Hooker (Wadi Natron)
A. sector (Forskål, 1775) R1 737 ♂♀ (10)
 Rec: Nubia, Port Said, Siwa Oasis, Upper Egypt
 Ref: 1. Aranea s. Forskål, 1775 p.85 D (Yemen)
 2. A.lordii Cambridge, 1870 pp.420-1 pl.50 f.1 D♀ (Massowah)
 3. A.lordii Simon, 1882 p.230 N Port-Said, Upper Egypt, Nubia
 4. A.lordii Pavesi, 1883 p.10 N Port-Said, Upper Egypt,
 Nubia, Lower Egypt
 5. A.clarki Denis, 1947b pp.43-4 pl.2 f.4 N Siwa, Maragi,
 Ilrhabit Uncorde, El Arig, Shiata, Khamissa
 [Port Said : Pavesi, 1883]

A. trifasciata (Forskål, 1775) R1 733-4 ♂♀ (34)

Rec: Alexandria, Cairo, Siwa Oasis, Wadi Natron

Ref: 1. Aranea t. Forskål, 1775 pp. 86-7 D Cairo

2. A. aurelia Audouin, 1825 pp. 122-4 pl. 2 f. 5 D♂♀
near Cairo and Alexandria

3. A. aurelia Cambridge, 1876 p. 576 N in the gardens and
orange-groves at Shoubra and other places near Cairo

4. A. sticticalis Cambridge, 1876 p. 576 Do
among low herbage near Alexandria

5. A. t. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

6. A. t. Simon, 1907 pp. 5-6 N Cairo

7. Metargiope t. Denis, 1947b pp. 44-5 N
Siwa, Khamissa, Shiata, El Arig, Koreishid,
Abu Sheruf, Girba, Baharein, Maragi

Genus *Cyclosa* Menge, 1866

C. insulana (Costa, 1834) R1 755 ♂♀ (15)

Rec: Siwa, Wadi Natron

Ref: 1. C. i. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

2. C. i. Denis, 1947b p. 46 N Siwa

Genus *Cyrtophora* Simon, 1864

C. citricola (Forskål, 1775) R1 747 ♂♀ (22)

Rec: Cairo, Siwa Oasis, Wadi Natron

Ref: 1. Aranea c. Forskål, 1775 p. 86 D Cairo, on Citrus trees

2. C. opuntiae Cambridge, 1876 p. 576 N abundant on the
prickly pear, sont acacia, young date-palms, and
other low trees and shrubs, near and above Cairo

3. C. c. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. C. c. Simon, 1907 p. 6 N Cairo and its surroundings

5. C. c. Denis, 1947b pp. 45-6 N Sitra, Girba, Khamissa,
Tarterad Hamid Bakour, Gagub

Genus *Drexelia* McCook, 1892

D. acuticauda (Simon, 1906)

(*Larinia* a.) R1 769 ♀ (1)

Rec: Luxor, Siwa Oasis

Ref: 1. *Larinia* a. Denis, 1944 p. 53 N Louksor, Siwa

2. *Larinia* a. Denis, 1947b p. 47 N Siwa, Girba, Exabaia,
Baharein, Khamissa

3. D. a. Grasshoff, 1971 pp. 94-5 f. 46, 39 (map: p. 89) D♂♀
Siwa Oasis

4. D. a. Levy, 1986 pp. 8-10 f. 40-49 D♂♀

Genus *Gasteracantha* Sundevall, 1833

G. sanguinolenta C. L. Koch, 1845 R1 937-8 ♀ (23)

G. s. ruppelli (Strand, 1915)

R1 938 ♀ (1) Egypt

Rec: ---

Genus *Gea* C. L. Koch, 1843

G. nilotica Simon, 1906 R1 745 ♀ (1) Egypt

Rec: ---

Genus *Hypsosinga* Ausserer, 1871

H. albiovittata (Westring, 1851) P 338 ♂♀ (2)

(*Singa* a.) R1 873 ♂♀ (17)

Rec: Alexandria

Ref: 1. *Singa* affinis Cambridge, 1876 p. 575 D♀
on low plants near Alexandria

Genus *Larinia* Simon, 1874*L. chloris* (Savigny, 1825) R1 768 ♂ (1)

Rec: Siwa Oasis, Suez, Upper Egypt

Ref: 1. Epeira c. Audouin, 1825 p.133 pl.3 f.5 D♂ (near Akko)

2. Epeira c. Cambridge, 1876 p.576 N on low plants
in Upper Egypt

3. L.c. Denis, 1947b pp.46-7 pl.2 f.6 N Shiata, Khamissa

4. L.c. Grasshoff, 1970a p.222-4 f.5,7,8 (map:p.220) D♂
Suez

5. L.c. Levy, 1986 p.5 f.18-27(p.6) D♂

Genus *Larinioides* Caporiacco, 1934*L. cornutus* (Clerck, 1757) P 340 ♂ (7)

(Araneus cornutus = A. foliata) R1 800-801 ♂ (45)

Rec: Rosetta

Ref: 1. Aranea leuvenhoekii Scopoli, 1763 p.394 D

2. Epeira apoclista Audouin, 1825 pp.128-9 pl.2 f.10 D♂
island of Rosetta and edges of the Nile near itGenus *Singa* C.L.Koch, 1836*S. lucina* (Savigny, 1825) R1 874-5 ♂ (4)

Rec: Alexandria, Rosetta

Ref: 1. Epeira l. Audouin, 1825 pp.132-3 pl.3 f.4 D♂
island of Rosetta2. Epeira l. Cambridge, 1872a p.299 N among low-growing
plants on banks of streams, near Alexandria3. S.l. Cambridge, 1876 pp.575-6 N among rushes and
plants in a marsh near Alexandria*S. semiatra* L.Koch, 1867 R1 876 ♂ (2) Mediterranean

Rec:---

Ref: 1. S.s. L.Koch, 1867 pp.860-1 D♂ (Corfu)

2. S.s. Pavesi, 1878 pp.369-370 N Egypt

3. Araneus(S.)s. Caporiacco, 1928 p.93 N Egypt

Genus *Siwa* Grasshoff, 1970*S. atomaria* (Cambridge, 1876)

(Larinia a.) R1 768 ♂ (1)

Rec: Assuan, Cairo, Siwa Oasis, Upper Egypt

Ref: 1. Epeira a. Cambridge, 1876 pp.577-9 pl.59 f.9 D♂
on low plants near Cairo and in Upper Egypt2. Larinia ovata Denis, 1947b pp.47-8 pl.2 f.7-9 D♂
Siwa, Sitra3. S.a. Grasshoff, 1970b pp.409-410 f.18,28(map:p.421) D♂
Cairo, Assuan

4. S.a. Levy, 1986 p.3 f.1-9(p.2) D♂

Family Cithaeronidae

Genus *Cithaeron* Cambridge, 1872*C. limbatus* (Simon, 1885) R2a 475 ♂ (2)

Rec:---

Ref: 1. C.l. Simon, 1893 Hist.Nat.Ar., I(2):385-6 f.345 N♂ Egypt

2. C.l. Caporiacco, 1928 p.90 N Egypt

Family **Clubionidae**Genus **Cheiracanthium** C.L.Koch, 1839C. annulipes Cambridge, 1872 R2a 477 ♀ (1)

Rec: Cairo, Philoe island (Assuan), Wadi Natron

Ref: 1. C.a. Cambridge, 1872a pp.254-5 pl.16 f.36 D♀

2. C.a. Cambridge, 1876 p.553 N Cairo

3. C.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

4. C.a. Simon, 1907 p.8 N Philoe island

C. dubium Cambridge, 1874 R2a 477 ♂ (1)

Rec: Alexandria

Ref: 1. C.d. Cambridge, 1876 p.553 N Alexandria

C. equestre Cambridge, 1874 R2a 479 ♂♀ (1)

Rec: Cairo, Siwa Oasis

Ref: 1. C.e. Cambridge, 1876 p.553 N near Cairo

2. C.e. Denis, 1947b p.66 N Siwa

C. isiacum Cambridge, 1874 R2a 479 ♂♀ (1)

Rec: Cairo, Siwa, Wadi Natron

Ref: 1. C.i. Cambridge, 1876 p.553 N on low plants, near Cairo

2. C.i. Pavesi, 1883 p.48 N Cairo

3. C.i. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

4. C.i. Simon, 1907 p.7 N Cairo

5. C.i. Caporiacco, 1928 p.97 N Egypt

6. C.i. Denis, 1947b p.65 N Siwa

C. jovium Denis, 1947 R2a 479 ♀ (1)

Rec: Siwa Oasis

Ref: 1. C.j. Denis, 1947b p.65 pl.4 f.6 D♀ Siwa, Khamissa

C. pelasgicum (C.L.Koch, 1837) R2a 480 ♂♀ (10)

Rec: ---

Ref: 1. C.p. Pavesi, 1878 pp.376-7 N Egypt

C. tenue Denis, 1947 R2a 482 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. C.t. Denis, 1947b p.66 pl.4 f.7,8 D♂♀ Siwa, Gara, Zegawa

Genus **Clubiona** Latreille, 1804C. listeri Audouin, 1825 R2b 1446 nicht zu deuten!

Rec: ---

Ref: 1. C.l. Audouin, 1825 pp.157-8 pl.5 f.9 D♀

Family **Corinnidae**Genus **Castianeira** Keyserling, 1879C. antinorii (Pavesi, 1880) R2a 609 ♂♀ (3)

Rec: Siwa Oasis

Ref: 1. C.a. Denis, 1947b p.66 pl.4 f.10-12 N♂♀
Siwa, Tarterad Hamid BakourFamily **Dictynidae**Genus **Altella** Simon, 1884A. libyca Denis, 1947 R2b 1301 ♀ (1)

Rec: Siwa Oasis

Ref: 1. A.l. Denis, 1947b p.29 pl.1 f.1 D♀ Siwa

Genus **Archaeodictyna** Caporiacco, 1928A. anguiniceps (Simon, 1899) R2b 1302 ♂♀ (3)

Rec: Siwa Oasis, Wadi Natron

Ref: 1. Dictyna a. Simon, 1899 pp.244-6 f.1-3 D♂♀
Bir-Hooker (Wadi Natron)

2. Dictyna a. Simon, 1910 p.283 N Bir-Hooker

3. A.a. Caporiacco, 1928 p.81 N Egypt

4. A.a. Denis, 1947b p.28 N Baharein, East Lake shore (Siwa)

Genus **Devade** Simon, 1884

D. hirsutissima (Simon, 1880) R2b 1304 ♂♂ (6)

Rec: Mariout, Siwa Oasis, Suez

Ref: 1. Diotima h. Simon, 1880b p.55 D♂♂

2. D.h. Simon, 1910 p.279 D♂♂ on the plants' bases on the sandy and salty grounds, Mariout and Suez

3. D.h. Caporiacco, 1928 p.81 N Egypt

4. D.h. Denis, 1947b pp.28-9 N♀ in a shell of mussel shores of Birket El Gessabaia (Lake Exabaia)

Genus **Dictyna** Sundevall, 1833

D. conducta Cambridge, 1876 R2b 1305 ♂♂ (2)

Rec: Alexandria, Cairo, Lower Egypt, Suez

Ref: 1. D.c. Cambridge, 1876 pp.556-7 pl.58 f.4 D♂♂ on the branches of the Sont acacia in Lower Egypt

2. D.c. Simon, 1907 p.1 N Cairo

3. D.c. Simon, 1910 p.283 D♂ Alexandria, Cairo, Suez

D. conducens Cambridge, 1876 R2b 1305 ♂♂ (2)

Rec: Cairo, Lower Egypt, Elephantine and Philoe island (Assuan) Wadi-Halfa

Ref: 1. D.c. Cambridge, 1876 p.556 pl.58 f.3 D♂♂ on the branches of the Sont Acacia, near Cairo and in other parts of Lower Egypt

2. D.c. Simon, 1907 p.1 N Cairo, Elephantine (on Acacia nilotica), Philoe island, Wadi Halfa

3. D.c. Simon, 1910 p.283 N whole Egypt

D. innocens Cambridge, 1872 R2b 1306 ♂♂ (3)

Rec: Cairo

Ref: 1. D.i. Cambridge, 1872a p.262 D♀ on low growing plants

2. D.i. Cambridge, 1876 p.555 D♂♂ on a low plant near Cairo

Genus **Lathys** Simon, 1884

L. humilis (Blackwall, 1855) (T) R2b 1327 ♂♂ (17)

Rec:---

L. h. meridionalis (Simon, 1874) R2b 1328 ♂♂ (3)

Rec: Alexandria

Ref: 1. L.h.m. Simon, 1910 p.278 N Alexandria
very common on bushes

Family **Dolomedidae**Genus **Dolomedes** Latreille, 1804

D. hyppomene Savigny, 1825 R2a 128 ♀ (2)

Rec: Damietta

Ref: 1. D.h. Audouin, 1825 pp.148-9 pl.4 f.9 D♀ near Damietta

Family **Dysderidae**Genus **Dysdera** Latreille, 1804

D. crocata C.L. Koch, 1839 R1 296-7 ♂♂ (19)

Rec: Alexandria

Ref: 1. D.c. Pavesi, 1878 p.379 N Egypt

2. D.c. Simon, 1907 p.3 N Alexandria

3. D.c. Simon, 1910 pp.320-1 f.9K(p.315) D♂♂ Alexandria

D. erythrina (Walckenaer, 1802) R1 292 ♂♂ (18)

Rec:---

Ref: 1. D.e. Audouin, 1825 p.154 pl.5 f.3 D♀

- D. _____ lata Reuss, 1834 R1 294 ♀ (3)
 Rec: Alexandria, Cairo
 Ref: 1. D.l. Koch, 1875 p.58 N Cairo
 2. D.l. Cambridge, 1876 p.547 No under stones, Alexandria
 3. D.l. Pavesi, 1878 p.379 N Egypt
- D. _____ lubrica Simon, 1907 R1 294 ♂♀ (2)
 Rec: Alexandria?, Cairo
 Ref: 1. D.l. Simon, 1907 pp.1-2 D♂♀ Cairo, (Alexandria?)
 2. D.l. Simon, 1910 p.320 f.7E(p.313) D♂♀ Alexandria!, Cairo
- D. _____ pharaonis Simon, 1907 R1 295 ♂♀ (1)
 Rec: Alexandria, Mariout
 Ref: 1. D.p. Simon, 1907 p.3 D♂♀ Alexandria, Mariout
 2. D.p. Simon, 1910 pp.318-9 D♂♀ Alexandria, Mariout
- D. _____ subnubila Simon, 1907 R1 296 ♂♀ (1)
 Rec: Alexandria, Cairo
 Ref: 1. D.s. Simon, 1907 p.3 D♂♀ Alexandria, Cairo
 2. D.s. Simon, 1910 pp.321-2 f.9I(p.315) D♂♀ Alexandria, Cairo
- D. _____ westringii Cambridge, 1872 R1 296 ♂♀ (5)
 Rec: Alexandria
 Ref: 1. D.w. Cambridge, 1872a p.223 pl.13 f.2 D♂♀
 2. D.w. Simon, 1907 pp.2-3 N Alexandria
 3. D.w. Simon, 1910 p.311 N Alexandria

Family Eresidae

Genus Dorceus C.L.Koch, 1846

- D. _____ quadrispilatus Simon, 1908 R2b 1291 ♂ (2)
 Rec: Alexandria, Mariout
 Ref: 1. D.q. Simon, 1908 pp.82-3 D♂ Alexandria, Mariout
 2. D.q. Simon, 1910 pp.293-4 D♂ Alexandria, Mariout

Genus Eresus Walckenaer, 1805

- E. _____ petagnae Audouin, 1825 R2b 1295 ♀ (1)
 Rec: Alexandria
 Ref: 1. E.p. Audouin, 1825 p.151 pl.4 f.11 D♀
 2. E.p. Cambridge, 1876 p.554 N under stone near Alexandria
 3. E.p. Simon, 1884 p.326 N Egypt
- <Note. This species may be E. niger Petagna, 1787 ; or E. n. frontalis (Latreille, 1819) - [Cambridge, 1876]; or E. semicanus, E. pharaonis, or perhaps also Dorceus quadrispilatus - [Simon, 1910 , p.294]>

E. _____ pharaonis Walckenaer, 1837 R2b 1295 ♀ (4)

Rec:---

- Ref: 1. E.p. Simon, 1908 pp.83-4 D♀ Egypt
 2. E.p. Simon, 1910 p.298 D♀ Egypt
- E. _____ pulchellus Lucas, 1864 R2b 1296 ♀ (1) Nubien
- <Note. Simon, 1908 p.81 & 1910 p.289: It may be the male of Stegodyphus niloticus>

E. _____ semicanus Simon, 1908 R2b 1295 ♂♀ (2)

Rec: Alexandria, Mariout, Suez

- Ref: 1. E.s. Simon, 1908 p.83 D♂♀ Alexandria, Mariout, Suez
 2. E.s. Simon, 1910 pp.294-5 f.5 D♂♀ Alexandria, Mariout, Suez

E. _____ walckenaeri Brullé, 1832 R2b 1296 ♂♀ (15)

Rec:---

- Ref: 1. E. theisii Pavesi, 1878 p.389 N Egypt

Genus *Stegodyphus* Simon, 1873

- S. _____ dufouri* (Audouin, 1825) R2b 1297 ♂♂ (9)
 Rec: Alexandria, Assiut, Assuan, Beni Suef, Cairo, El-Baharia Oases, El-Fayum, El-Menoufeia, Gizeh, Kena, Luxor, Nile Barrage, Port Said, Sinai(southern), Siwa Oasis, Sohag, Suez, Wadi Halfa, Wadi Natron
 Ref: 1. *Eresus* d. Audouin, 1825 pp.151-2 pl.4 f.12 D♂
 2. *Eresus* d. Cambridge, 1876 p.554 N immature examples, on low plants on the edge of the desert above Assouan (Note. It may be *S. lineatus*(*E. adspersus*) - Simon, 1908)
 3. *Eresus* d. Simon, 1880a p.47 N near Alexandria
 4. *S. d.* Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)
 5. *S. molitor* Strand, 1908 p.69 N♀ Bir Hooker, Wad-i-Natron
 6. *S. d.* Simon, 1908 p.79 N♂ on reeds in the surroundings of Alexandria; Suez; Fayoum
 7. *S. manicatus* Simon, 1908 pp.79-80 D♂ (non ♀) Dj. Mokattam, near Cairo
 8. *S. niloticus* Simon, 1908 pp.80-2 D♀ Quadi Halfa
 9. *S. d.* Simon, 1910 p.287 f.4B D♂ Alexandria, Fayoum, Suez
 10. *S. manicatus* Simon, 1910 p.288 f.4C D♂ (non ♀) Dj. Mokattam near Cairo
 11. *S. niloticus* Simon, 1910 pp.288-290 D♀ Quadi Alfa
 12. *S. manicatus* Denis, 1947b pp.30-1 N♂ Siwa, Koreishid, Abu Sheruf, Sitra, Exabaia, Tarterad Hamid
 13. *S. d.* El-Hennawy, 1987a p.5 f.13(map) N Cairo, El-Fayum, Beni Suef, Assiut, Sohag, Kena, Luxor, and other localities on a map
 14. *S. d.* El-Hennawy, 1987c p.19 N Kafr El-Sheikh Khalil - El-Menoufeia; El-Manshia, near Kom Ombo - Assuan; Kom Osheem - El-Fayum; Wadi Gharandel - Southern Sinai; Port Said; El-Bawitti - El-Baharia Oases
 15. *S. d.* Kraus & Kraus, 1988 pp.208-214 f.104, 105, 111, 112, 126-131, 142-173 Map 9 D♂ Siwa, Exabaia, Sitra, Cairo (Center Salam), Djebel Mokattam near Cairo, Gizeh, Nile Barrage, Upper Egypt, Assuan, Wadi Halfa
S. _____ lineatus (Latreille, 1817) R2b 1297 ♂♂ (12)
 Rec: Alexandria, Cairo, Damietta, Sinai, Siwa Oasis, Suez
 Ref: 1. *Eresus acanthophilus* Cambridge, 1870 p.820 N Wady Nasb, Genneh, Jebel Musa, and Convent gardens, back of Mount Sinai
 2. *S. l.* Simon, 1908 p.78 N very rare, on thorny bushes, Dj. Mokattam, Dj. Ataka
 3. *S. l. deserticola* Simon, 1908 p.79 N Egyptian desert
 4. *S. l.* Simon, 1910 pp.286-7 f.4A D♂ very rare in Egypt; Dj. Ataka
 5. *S. l. deserticola* Simon, 1910 p.287 N♀ Egypt
 6. *S. l. deserticola* Denis, 1947b pp.29-30 N♀ Siwa depression, on Acacia trees
 7. *S. l.* Kraus & Kraus, 1988 pp.231-5 f.28, 202-205, 227, 228, 234-242 pl.3(f. A-E, G) Map 7 D♂ Siwa depression, Alexandria, Damiette [=Dumyat], Sinai
S. _____ manicatus Simon, 1876 R2b 1299 ♂♂ (4)
 Rec: Cairo
 Ref: 1. *S. m.* Simon, 1908 pp.79-80 D♀ (non ♂) Dj. Mokattam near Cairo
 2. *S. m.* Simon, 1910 p.288 D♀ (non ♂) near Cairo
 3. *S. m.* Kraus & Kraus, 1988 pp.218-220 f.108, 114, 115, 188-194 Map 6 D♂

Family **Filistatidae**Genus **Filistata** Latreille, 1810F. insidiatrix (Forskål, 1775) (T) R2b 1280 ♂♀ (15)

Rec: Alexandria, Cairo, Lower Egypt, Siwa Oasis

Ref: 1. Aranea i. Forskål, 1775 p.86 D Egypt

2. F. testacea L. Koch, 1875 p.58 N Cairo

3. F. testacea Cambridge, 1876 pp.543-4 N ♂♀ near Alexandria
and in several other parts of Egypt

4. F. puta Cambridge, 1876 p.544 D♀ Alexandria

5. F. testacea Pavesi, 1878 p.380 N Lower Egypt

6. F. i. Simon, 1910 p.300 N Egypt

7. F. puta Simon, 1910 p.300 N Egypt [desertic form of F. i.]

8. F. i. Denis, 1947b p.24 N♀ Siwa

9. F. puta Denis, 1947b p.25 N♀ [or F. i. puta] Siwa

10. F. i. Benoit, 1968 pp.993-4 N Egypt

11. F. i. Brignoli, 1982 pp.68-9 f.1-5 N ♂♀ Alexandria

Genus **Sahastata** Benoit, 1968S. nigra (Simon, 1897) B 145 (N)

(Filistata n.) R2b 1280 ♀ (4)

Rec: Cairo, Luxor, Suez

Ref: 1. Filistata n. Simon, 1910 p.300 N Cairo!, Suez!,
plain of Thebes

2. S. n. Benoit, 1968 pp.97-9 f.1-5 N ♂♀

Family **Gnaphosidae**Genus **Aphantaulax** Simon, 1878A. albin (Audouin, 1825) R2a 408 ♀ (5)

Rec: ---

Ref: 1. Clubiona a. Audouin, 1825 p.157 pl.5 f.8 D♀

2. A. a. Simon, 1884 p.339 N Egypt

Genus **Berlandina** Dalmat, 1922B. jovia Denis, 1947 R2a 358 ♀ (1)

Rec: Siwa Oasis

Ref: 1. B. j. Denis, 1947b pp.63-4 pl.3 f.11 D♀ Siwa

B. plumalis (Cambridge, 1872) (T) R2a 358 ♂♀ (15)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa p. Cambridge, 1872a pp.225-6 pl.15 f.3 D♂
under a stone, at Alexandria

2. Gnaphosa p. Cambridge, 1876 p.550 N Alexandria

3. Berlandia p. Dalmat, 1920 pp.268-270 f.45, 52, 53 D♂♀
Alexandria

4. B. p. Denis, 1944 p.48 N Zeitun, near Cairo

B. venatrix (Cambridge, 1874) R2a 358 ♂♀ (4)

Rec: Alexandria, Assuan, Cairo, Luxor, Sinai, Wadi Halfa

Ref: 1. Gnaphosa v. Cambridge, 1876 p.551 N at Alexandria

2. Berlandia v. Dalmat, 1920 pp.272-3 f.48, 56, 57 D♂♀
Cairo, Alexandria, Thèbes, Assouan,
Ouadi-Halfa, Ain-Mouça (Sinai)Genus **Camillina** Berland, 1919C. berlandi Denis, 1944 R2a 410 ♀ (1)

Rec: Cairo

Ref: 1. C. b. Denis, 1944 p.47 pl.1 f.13, 14 D♀ Zeitun, near Cairo
in the desert under plants and stones

Genus **Drassodes** Westring, 1851

D. aegyptius (Cambridge, 1874) R2a 385 ♂ (3)

Rec: Alexandria

Ref: 1. Drassus a. Cambridge, 1876 p.552 N under stones at Alexandria

D. alexandrinus (Cambridge, 1874) R2a 385 ♂ (1)

Rec: Alexandria

Ref: 1. Drassus a. Cambridge, 1876 p.551 N among the debris of an old wall near Alexandria

2. D.a. Caporiacco, 1928 p.83 N Egypt

D. citipes Simon, 1893 R2a 385 ♀ (1)

Rec:---

Ref: 1. D.c. Simon, 1893 Hist.Nat.Ar., I(2) p.362 D♀ Egypt

D. denotatus (Cambridge, 1874) R2a 386 ♀ (1)

Rec: Cairo

Ref: 1. Drassus d. Cambridge, 1876 p.552 N Cairo

D. ensiger (Cambridge, 1874) R2a 386 ♂♀ (1) Egypt

<Note. Not recorded in Cambridge's Catalogue, 1876>

D. infumatus (Cambridge, 1872) R2a 387 ♂♀ (1)

Rec: Cairo

Ref: 1. Drassus i. Cambridge, 1872a pp.238-9 pl.15 f.16 D♂♀ in an old ruined mud wall near Cairo

2. Drassus i. Cambridge, 1876 p.551 N under the ruins of an old mud wall near Cairo

D. pseudomorosus Strand, 1915 R2a 391 ♂♀ (3) Egypt

Rec:---

Genus **Echemus** Simon, 1878

E. mollis (Cambridge, 1874) R2a 418 ♀ (1)

Rec: Alexandria

Ref: 1. Prothesima m. Cambridge, 1876 p.553 N under a stone near Alexandria

Genus **Leptodrassus** Simon, 1878

L. pupa Dalmas, 1919 R2a 405 ♂♀ (1)

Rec: Suez

Ref: 1. L.p. Dalmas, 1919 p.248 D♂♀ Suez

Genus **Megamyrmaekion** Reuss, 1834

M. caudatum Reuss, 1834 (T) R2a 425 ♀ (4) Egypt

Rec:---

M. holosericeum Simon, 1882 R2a 425 ♀ (1)

Rec: Assuan

Ref: 1. M.h. Simon, 1882 pp.257-8 pl.8 f.21-22 D♀ Assuan

Genus **Minosia** Dalmas, 1920

M. pharao Dalmas, 1920 (Crosbyellum p.) R2a 359 ♂♀ (1)

Rec: Alexandria, Cairo

Ref: 1. M.p. Dalmas, 1920 pp.303-4 f.102, 107, 108 D♂♀ Cairo, Alexandria

Genus **Minosiella** Dalmas, 1920

M. mediocris Dalmas, 1920 (T) R2a 371 ♂♀ (1)

Rec: Cairo, El-Fayum, Siwa Oasis, Suez

Ref: 1. M.m. Dalmas, 1920 pp.311-2 f.113, 118 D♂♀ Cairo, Suez, Fayoum

2. M.m. Denis, 1947b p.64 N Siwa

M. pharia Dalmas, 1920 R2a 371 ♀ (1)

Rec: Cairo

Ref: 1. M.p. Dalmas, 1920 p.313 f.115 D♀ Cairo

Genus **Nomisia** Dalmas, 1920

N. marginata (Cambridge, 1874) R2a 372 ♂♀ (5)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa m. Cambridge, 1876 p. 551 N among the ruins of
an old wall near Cairo

2. N.m. Dalmas, 1920 pp. 296-7 f. 79, 98 D♂♀ Alexandria, Cairo

N. recepta (Favasi, 1880) R2a 373 ♂♀ (2)

Rec: ---

Ref: 1. N.r. Dalmas, 1920 pp. 283-4 f. 66, 86, 87 D♂♀ Egypt

Genus **Poecilochroa** Westring, 1874

P. antineae Fage, 1929 R2a 429 ♂ (1)

Rec: ---

Ref: 1. P.a. Fage, 1929 pp. 248-9 f. 1 D♂ Egypt

P. campestrata (Cambridge, 1874) R2a 429 ♂ (1)

Rec: Alexandria

Ref: 1. Drassus c. Cambridge, 1876 p. 551 N under a stone near
Alexandria

P. lesserti Denis, 1947 R2a 430 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. P.l. Denis, 1947b pp. 62-3 pl. 3 f. 8-10 D♂♀

Siwa, Khamissa, Shiata

P. monodi Fage, 1929 R2a 430 ♂♀ (1)

Rec: Cairo, El-Fayum

Ref: 1. P.m. Fage, 1929 pp. 249-250 f. 2, 3 D♂♀ Cairo, Fayoum

P. pugnax (Cambridge, 1874) R2a 430 ♂♀ (3)

Rec: Cairo

Ref: 1. Drassus p. Cambridge, 1876 p. 552 N among the debris of
an old wall at Cairo

Genus **Pterotricha** Kulczynski, 1903

P. aegyptiaca Dalmas, 1920 R2a 375 ♂♀ (1)

Rec: Lower Egypt

Ref: 1. P.a. Dalmas, 1920 pp. 258-9 f. 23, 41 D♂♀ Lower Egypt

2. P.a. Caporiacco, 1928 p. 89 N Egypt

P. conspersa (Cambridge, 1872) R2a 375 ♂♀ (3)

Rec: Cairo, Gizeh

Ref: 1. Gnaphosa c. Cambridge, 1872a pp. 230-1 pl. 15 f. 5 D♂♀
under stones close to the pyramids of Gizeh, near Cairo

2. Gnaphosa c. Cambridge, 1876 p. 550 N under stones near
the pyramids of Gizeh

3. P.c. Dalmas, 1920 pp. 257-8 f. 22 D♀ Egypt

4. P.c. Denis, 1944 p. 47 N Helouan, near Cairo

P. isiaca Dalmas, 1920 R2a 375 ♀♀ (2)

Rec: Lower Egypt, Siwa Oasis

Ref: 1. P.i. Dalmas, 1920 p. 259 f. 24 D♀ Lower Egypt

2. P.i. Denis, 1947b p. 63 pl. 4 f. 5 D♂ N♀ Siwa

P. lentiginosa (C.L.Koch, 1837) (T) R2a 375-6 ♂♀
(8)

Rec: ---

Ref: 1. Gnaphosa l. Favasi, 1878 pp. 378-9 N Egypt

P. linnaei (Audouin, 1825) R2a 376 ♀ (2)

Rec: ---

Ref: 1. Drassus l. Audouin, 1825 p. 156 pl. 5 f. 7 D♀

P. procera (Cambridge, 1874) R2a 376 ♂♀ (3)

Rec: Alexandria, Cairo

Ref: 1. Gnaphosa p. Cambridge, 1876 p. 550 N under stones
near Alexandria

2. P.p. Dalmas, 1920 p. 256 f. 20, 39, 40 D♂♀ Cairo, Alexandria

- P. schaefferi (Audouin, 1825) R2a 377 ♂♀ (7)
 Rec: Alexandria, Assuan, Cairo, Suez, Wadi Halfa
 Ref: 1. Drassus s. Audouin, 1825 p.156 pl.5 f.5 D♀
 2. P.s. Simon, 1907 p.4 N Cairo, Assuan, Wadi-Halfa
 3. P.s. Dalmas, 1920 pp.260-1 f.26, 42 D♂♀
 Cairo, Alexandria, Suez
 4. P.s. Caporiacco, 1928 p.89 N Egypt
- Genus **Scotophaeus** Simon, 1893
S. mundulus (Cambridge, 1872) R2a 434 ♀ (3)
 Rec: Cairo
 Ref: 1. Drassus m. Cambridge, 1872a pp.234-5 pl.15 f.11 D♂♀
 among debris of an old wall at Cairo
 2. Drassus m. Koch, 1875 p.49 N near Cairo
 3. Drassus m. Cambridge, 1876 p.551 N among the ruins of
 an old wall at Cairo
 4. S.m. Caporiacco, 1928 p.85 N Egypt
- S. senilis (Cambridge, 1872) R2a 435 ♀ (1)
 Rec: Alexandria
 Ref: 1. Drassus s. Cambridge, 1872a pp.236-7 pl.15 f.13 D♀
 under a stone near Alexandria
 2. Drassus s. Cambridge, 1876 p.551 N under a stone
 near Alexandria
- S. vulpinus (Cambridge, 1874) R2a 436 ♀ (1)
 Rec: Cairo
 Ref: 1. Drassus v. Cambridge, 1876 p.552 N in an old building
 at Cairo
- Genus **Talanites** Simon, 1893
T. ornatus (Cambridge, 1874) R2a 407 ♂ (1)
 Rec: Alexandria
 Ref: 1. Drassus o. Cambridge, 1876 p.551 N under a piece of
 stone near Alexandria
 2. Drassus o. Dalmas, 1919 p.250 N (=T.o.)
- Genus **Trachyzelotes** Lohmander, 1944
T. lyonneti (Audouin, 1825) P 487 ♂♀ (1)
 (Zelotes l.) R2a 453 ♂♀ (6)
 Rec: ---
 Ref: 1. Drassus l. Audouin, 1825 p.156 pl.5 f.6 D♂
- T. jaxartensis (Kroneberg, 1875) P 486-7 ♂♀ (11)
 Rec: Assiut, Luxor
 Ref: 1. Zelotes sorex Denis, 1944 pp.46-7 pl.1 f.12 D♀ Louksor
 2. T.j. Platnick & Murphy, 1984 pp.10-13 f.19-22 D♂♀ Luxor,
 Kafr ash Shaykh (?); Asyut (pitfall traps in sugar cane)
- Genus **Urozelotes** Mello-Leitão, 1938
U. rusticus (L. Koch, 1872) P 488 ♂♀ (10)
 (Zelotes r.) R2a 461 ♂♀ (16)
 Rec: Matruh, Siwa Oasis
 Ref: 1. Z. razoumowskyi Denis, 1947b pp.60-1 pl.3 f.7 D♀ Siwa
 2. U.r. Platnick & Murphy, 1984 pp.24-27 f.55-58 D♂♀
 Matruh : Siwa(?)
- Genus **Zelotes** Gistel, 1848
Z. curinus (Cambridge, 1874) R2a 448 ♂ (1)
 Rec: Alexandria
 Ref: 1. Prothesima c. Cambridge, 1876 p.552 N under a stone
 at Alexandria
 2. Prothesima c. Pavesi, 1883 p.52 N Egypt

- Z. _____ inauratus (Cambridge, 1872) R2a 451 ♂ (2)
Rec: Alexandria, Lower Egypt
Ref: 1. Melanophora i. Cambridge, 1872a pp. 246-7 pl. 16 f. 26 D♂
under a stone near Alexandria
2. Prothesima i. Cambridge, 1876 p. 553 N under stones
near Alexandria
3. Prothesima i. Simon, 1882 p. 234 N Lower Egypt
Z. _____ intricatus Denis, 1947 R2a 451 ♀ (1)
Rec: Siwa Oasis
Ref: 1. Z.i. Denis, 1947b p. 61 pl. 4 f. 4 D♀ marsh at Khamissa
Z. _____ laetus (Cambridge, 1872) R2a 451 ♂ (2)
Rec: Cairo
Ref: 1. Melanophora l. Cambridge, 1872a pp. 241-2 pl. 15 f. 19 D♂
Cairo
2. Prothesima l. Cambridge, 1876 p. 552 N under stones
near Cairo
Z. _____ listeri (Audouin, 1825) R2a 452 ♀ (4)
Rec: Sinai (southern)
Ref: 1. Drassus l. Audouin, 1825 p. 155 pl. 5 f. 4 D♀
2. Drassus l. Cambridge, 1870 p. 819 N Convent gardens
and back of Mount Sinai
Z. _____ niliicola (Cambridge, 1874) R2a 454 ♂ (6)
Rec: Alexandria, Nile Delta
Ref: 1. Prothesima n. Cambridge, 1876 p. 552 N under a stone
near Alexandria
2. Z.n. Dalmas, 1922 pp. 84-5 N Alexandria, Nile Delta
Z. _____ pycinus (Cambridge, 1872) R2a 455 ♀ (2)
Rec: Alexandria
Ref: 1. Melanophora p. Cambridge, 1872a p. 242 pl. 16 f. 20 D♀
under a stone near Alexandria
2. Prothesima p. Cambridge, 1876 p. 552 N
under a stone near Alexandria
Z. _____ simplex Denis, 1936 R2a 459 ♂♀ (2)
Rec: Siwa Oasis
Ref: 1. Z.s. Denis, 1936 p. 1036 pl. I f. 3 D♂♀ (Algeria)
2. Z.s. Denis, 1947b pp. 59-60 N♀ Siwa
Z. _____ tenuis (L.Koch, 1866) R2a 459 ♂ (1), P 495 ♂♀ (1)
(Z. pallidus) R2a 454 ♂♀ (1) = Z.t. P 489
Rec: Alexandria
Ref: 1. Prothesima pallida Cambridge, 1876 p. 553 N
under stones near Alexandria
Z. _____ tristiculus (Cambridge, 1874) R2a 460 ♂ (1)
Rec: Alexandria
Ref: 1. Prothesima t. Cambridge, 1876 p. 552 N
under a piece of rock near Alexandria

Family Hersiliidae

Genus **Hersilia** Savigny, 1825

H. caudata Savigny, 1825 (T) R1 381 ♂ (6)

Rec: Cairo to Assuan

Ref: 1. H.c. Audouin, 1825 p.115 pl.1 f.8 Dq near Cairo

2. H.c. Cambridge, 1876 pp.560-2 pl.58 f.6 Dq
Cairo to Assouan

3. H.c. Simon, 1882 pp. 227-8 Do Cairo

4. H.c. Simon, 1907 p. 5 N Cairo

Genus *Hersiliola* Thorell, 1870

H. lucasi (Cambridge, 1876) R1 383 ♂♀ (2)

Rec: Alexandria

- Ref: 1. *Hersilidia* 1. Cambridge, 1876 pp. 562-4 pl. 58 f. 5 D♂
under stones in desert between Alexandria and Ramleh
2. *Hersilidia* 1. Caporiacco, 1928 p. 90 N Egypt

Family *Heteropodidae*

Genus *Cebrennus* Simon, 1880

C. aethiopicus Simon, 1880 R2a 688 ♂ (2) Nubien

Rec: ---

C. sparassoides Caporiacco, 1928 R2a 688 ♂ (1)

Rec: ---

- Ref: 1. C.s. Caporiacco, 1928 pp. 94-5 f. 6 D♂ (Porto Bardia) Sinai

Genus *Cerbalus* Simon, 1897

C. concolor Denis, 1947 R2a 688 ♂ (1)

Rec: Siwa Oasis

- Ref: 1. C.c. Denis, 1947b pp. 52-3 pl. 3 f. 1-3 D♂
Siwa, near Zeitoun, sand dunes
2. C.c. Kritscher, 1960 p. 272 Nd♂

C. pellitus Kritscher, 1960 B 593 ♂ (1)

Rec: Fayed (near Suez)

- Ref: 1. C.p. Kritscher, 1960 pp. 272-4 f. 1-2 D♂ Fayed, sand dunes
C. pulcherrimus (Simon, 1880) (T) R2a 689 ♀ (4)

Rec: Assuan, Wadi Natron

- Ref: 1. C.p. Strand, 1908b pp. 9-10 D♂ (immature ♂) Wadi-Natron
2. C.p. Kritscher, 1960 pp. 274-8 f. 3-5 D♂♀ Assuan

Genus *Eusparassus* Simon, 1903

E. bicorniger (Pocock, 1898) R2a 674 oo (2) Egypt

Rec: ---

E. cognatus (Cambridge, 1876) R2a 672 oo (1)

Rec: Cairo, Upper Egypt

- Ref: 1. *Sparassus* c. Cambridge, 1876 p. 588 Doo
near Cairo and in Upper Egypt

E. dufouri Simon, 1932 (T) R2a 672-3 ♂♀ (9)

Rec: ---

- Ref: 1. *Sparassus argelasii* Pavesi, 1878 p. 381 N Egypt

E. d. oraniensis (Lucas, 1846) R2a 673 ♂♀ (7)

Rec: Siwa Oasis

- Ref: 1. E.d.o. Denis, 1947b pp. 49-50 pl. 2 f. 12 N♀ Siwa
E. suavis (Cambridge, 1876) R2b 1658 nicht zu
deuten!

Rec: Upper Egypt

- Ref: 1. *Sparassus* s. Cambridge, 1876 pp. 588-590 D♂♀
at the roots of scattered tufts of herbage on the
desert near Gebel y Silsilis, in Upper Egypt

E. walckenaerii (Audouin, 1825) R2a 674 ♂♀ (9)

Rec: Cairo, Sinai, Siwa Oasis, Wadi Natron

- Ref: 1. *Philodromus* w. Audouin, 1825 pp. 159-160 pl. 6 f. 1 D♀
2. *Philodromus linnaei* Audouin, 1825 pp. 160-1 pl. 6 f. 2 D♂
3. *Sparassus linnaei* Cambridge, 1870 p. 819 N
Hot springs, Pharaoh's Baths, Cairo (Sinai)
4. *Sparassus* w. Cambridge, 1872a p. 311 N under stones;
on board the Nile boat (Dahabeah)

5. *Sparassus* w. Cambridge, 1876 pp. 587-8 N under stones;
on board the Nile boat (Dahabeah)
 6. *Sparassus* w. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
 7. E.w. Simon, 1907 p. 7 N Cairo
 8. E.w. Strand, 1908b pp. 24-5 D♂ Bir-Hooker (Wadi Natron)
 9. E.w. Denis, 1947b pp. 50-1 pl. 2 f. 14-16 N♂ Siwa
- Genus *Olios* Walckenaer, 1837
O. impediens Denis, 1947 R2a 692 ♀ (1)
 Rec: Siwa Oasis
 Ref: 1. O.i. Denis, 1947b p. 52 pl. 2 f. 17 D♀
 Siwa, Ilrhabit Uncorde
- Genus *Palystes* L. Koch, 1875
P. crucifer Simon, 1880 R2a 727 ♀ (2) (Port Said?)
 Rec: ---

Family Linyphiidae

- Genus *Bathypantes* Menge, 1866
B. extricatus (Cambridge, 1876) R1 569 ♂♀ (2)
 Rec: Alexandria, Cairo
 Ref: 1. Linyphia e. Cambridge, 1876 pp. 572-3 pl. 59 f. 7 D♂
 on plants and shrubs, at Cairo and Alexandria
- Genus *Erigone* Savigny, 1825
E. dentipalpis (Wider, 1834) R1 722 ♂♀ (16)
 Rec: ---
 Ref: 1. E.d. Denis, 1948 p. 588 N Egypt
- Genus *Gnathonarium* Karsch, 1881
G. dentatum (Wider, 1834) (T) R1 654 ♂♀ (23)
G. d. orientale Cambridge, 1872 R1 654 ♂♀ (1)
 Rec: ---
 Ref: 1. *Erigone* d.o. Cambridge, 1872a p. 290 D♂ Egypt
- Genus *Meioneta* Hull, 1920
M. rurestris (C.L. Koch, 1836) R1 518 ♂♀ (16)
 Rec: Alexandria
 Ref: 1. *Erigone* r. Simon, 1880a p. 48 N near Alexandria
- Genus *Prinerigone* Millidge, 1988
P. vagans (Savigny, 1825) (T)
 (*Erigone* v.) (T) R1 724 ♂♀ (13)
 Rec: Alexandria, Cairo, Wadi Natron
 Ref: 1. *Erigone* v. Audouin, 1825 pp. 116-7 pl. 1 f. 9 D♂
 gardens of Cairo
2. *Erigone* spinosa Cambridge, 1872a p. 292 pl. 13 f. 12 D♂
 Cairo and Alexandria
 3. *Erigone* spinosa Cambridge, 1876 p. 572 N♂
 running on the metals and permanent way of
 the railroad near Cairo and Alexandria
 4. *Erigone* v. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
 5. *Erigone* v. spinosa Denis, 1948 pp. 588-590 N
- Genus *Silometopus* Simon, 1914
S. curtus (Simon, 1881) R1 680 ♂ (4) Egypt
 Rec: ---
- Genus *Tapinocyba* Simon, 1884
T. alexandrina (Cambridge, 1872) R1 701 ♂♀ (4)
 Rec: Alexandria
 Ref: 1. *Erigone* a. Cambridge, 1872b pp. 755-6 pl. 65 f. 11 D♂
 among water-weeds in a swamp near Alexandria
2. *Erigone* a. Cambridge, 1876 p. 572 N♂ on rushes and
 other plants growing in a marsh near Alexandria

Family **Liocranidae**Genus **Mesiotelus** Simon, 1897M. alexandrinus (Simon, 1880) R2a 566 ♀ (1)

Rec: Edko (near Alexandria)

Ref: 1. Liocranum a. Simon, 1880c p. 99 D♀ Edko near Alexandria
M. tenuissimus (L. Koch, 1866) (T) R2a 567 ♂♀ (10)

Rec: Alexandria

Ref: 1. Cheiracanthium t. Cambridge, 1876 p. 553 N Alexandria
2. Chiracanthium t. Pavesi, 1878 p. 377 N EgyptFamily **Loxoscelidae**Genus **Loxosceles** Heineken & Lowe, 1835L. rufescens (Dufour, 1820) (T) R1 319 ♂♀ (17)

Rec: Alexandria, Cairo, Siwa Oasis

Ref: 1. Scytodes r. Audouin, 1825 pp. 153-4 pl. 5 f. 2 D♀
2. L.r. Cambridge, 1876 p. 564 N near Cairo and Alexandria
3. L. erythrocephala Pavesi, 1878 p. 373 N Egypt
4. L.r. Simon, 1910 p. 307 N Egypt
5. L.r. Denis, 1947b p. 26 N ♂♀ Siwa OasisFamily **Lycosidae**Genus **Allocosa** Banks, 1900A. deserticola (Simon, 1898) R2a 201 ♀ (1)

Rec: Saqqarah (near Gizah)

Ref: 1. Lycosa d. Simon, 1898 p. 28 D♀ Saccarah desert
A. sennaris Roewer, 1959 B 434 ♀ (1) Egypt

Rec: ---

A. tarentulina (Savigny, 1825) R2a 202 ♂♀ (5)

Rec: Alexandria

Ref: 1. Lycosa t. Audouin, 1825 pp. 143-5 pl. 4 f. 2 D ♂♀
near Alexandria
2. Tarentula t. Cambridge, 1876 p. 601 N near Alexandria
in their cylindrical holes on waste and desert places
3. Lycosa t. Simon, 1880a N near Alexandria
A. tremens (Cambridge, 1876) R2a 202 ♂♀ (3)
Rec: Alexandria

Ref: 1. Tarentula t. Cambridge, 1876 pp. 602-3 D♀ near Alexandria

Genus **Alopecosella** Roewer, 1954A. pelusiaca (Savigny, 1825) R2a 225 ♀ (3)

Rec: El Manzalah

Ref: 1. Lycosa p. Audouin, 1825 p. 148 pl. 4 f. 8 D♀
on shores of Menzaleh lakeGenus **Arctosa** C.L. Koch, 1848A. cinerea (Fabricius, 1776) (T) R2a 227-8 ♂♀ (47)

Rec: Sinai, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. Lycosa pilipes Cambridge, 1870 p. 819 N
Wady Gherandel, peninsula Sinai, Nasb, Genneh,
Jebel Musa, and at Pharaoh's Baths, Cairo
2. Trochosa pilipes Cambridge, 1876 p. 600 N under stones on
the damp sandy flats bordering the Nile in Upper Egypt
3. Lycosa c. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
4. A.c. Denis, 1947b pp. 35-6 N Sitra
A. depuncta (Cambridge, 1876) R2a 225 ♂♀ (2)

Rec: Alexandria

Ref: 1. Trochosa d. Cambridge, 1876 p. 600 D ♂♀ near Alexandria

- A. _____ leopardus (Sundevall, 1832) P 364 ♂♀ (1)
(Megarctosa l.) R2a 277-8 ♂♀ (25)
Rec: Alexandria
Ref: 1. Pirata l. Cambridge, 1876 p. 598 N in a marsh,
near Alexandria
- A. _____ quadripunctata (Lucas, 1846) R2a 227 ♂♀ (3)
Rec: Siwa Oasis
Ref: 1. A. q. Denis, 1947b p. 36 pl. 1 f. 9-10 D♂♀
Siwa, Aghourmih salt marsh, Abu Sheruf,
Baharein: East Lake shore
- Genus **Aulonia** C. L. Koch, 1848
A. _____ wernerii Roewer, 1960 B 441 ♀ (1) Egypt
Rec: ---
- Genus **Crocodylosa** Caporiacco, 1947
C. _____ virulenta (Cambridge, 1876) R2a 238 ♂♀ (1)
Rec: Cairo
Ref: 1. Trochosa v. Cambridge, 1876 pp. 600-1 D♂♀ near Cairo
- Genus **Evipa** Simon, 1882
E. _____ arenaria (Savigny, 1825) (T) R2a 154 ♀ (5)
Rec: Rosetta
Ref: 1. Lycosa a. Audouin, 1825 p. 146 pl. 4 f. 3 D♀
from the desert near Rosetta
- E. _____ peregrina (Savigny, 1825) R2a 154 ♀ (2)
Rec: Rosetta
Ref: 1. Lycosa p. Audouin, 1825 p. 146 pl. 4 f. 4 D♀
near Rosetta
- E. _____ praelongipes (Cambridge, 1870) R2a 155 ♂ (3)
Rec: Sinai
Ref: 1. Lycosa p. Cambridge, 1870 pp. 822-3 pl. 50 f. 3 D♂
Wady Nasb, Genneh, near Jebel Musa, peninsula Sinai
2. E. p. Caporiacco, 1928 p. 97 N Sinai
- E. _____ unguolata (Cambridge, 1876) R2a 155 ♀ (5)
Rec: Assuan, Luxor, Siwa Oasis, (Upper Egypt)
Ref: 1. Lycosa u. Cambridge, 1876 pp. 603-4 D♀ immature
at the roots of stunted herbage on the desert
near Jebel y Silsilis, in Upper Egypt
2. E. u. Simon, 1882 p. 223 N Assouan, Thebes
(widely distributed in Upper Egypt)
3. E. u. Denis, 1947b p. 39 pl. 1 f. 14 N♀ Gagub
- Genus **Geolycosa** Montgomery, 1904
G. _____ urbana (Cambridge, 1876) R2a 241-2 ♂♀ (7)
Rec: Alexandria, Siwa Oasis
Ref: 1. Lycosa agretica Audouin, 1825 p. 147 pl. 4 f. 6 D♀
on the banks of the canal of Alexandria
2. Trochosa u. Cambridge, 1876 p. 601 pl. 60 f. 14 D♂♀ among
low plants and other herbage in a marsh near Alexandria
3. Trochosa u. Pavesi, 1883 pp. 68-69 N Egypt
4. Lycosa u. Simon, 1907 p. 8 N very common in Egypt
5. Lycosa u. Denis, 1947b pp. 32-4 pl. 1 f. 6, 7 N♂ Siwa,
Ultahu Hirfola, Anas Yutra, Tarterad Hamid Bakour
- Genus **Hippasa** Simon, 1885
H. _____ innesi Simon, 1889 R2a 311 ♀ (1)
Rec: Cairo, Suez
Ref: 1. H. i. Simon, 1889 pp. 378-9 D♀ Suez, Cairo

Rec: H. _____ partita (Cambridge, 1876) R2a 311 ♂♀ (3)
Alexandria

Ref: 1. *Trochosa* p. Cambridge, 1876 pp. 599-600 D₄
near Alexandria

Genus *Hyaenosa* Caporiacco, 1940

H. effera (Cambridge, 1872) R2a 260 ♂♀ (1)
Rec: Alexandria, Cairo

Ref: 1. Lycosa e. Cambridge, 1872a pp.318-9 Doo
2. Trochosa e. Cambridge, 1876 p.601 N
near Cairo and Alexandria

Genus *Lycorma* Simon, 1885

L. alexandria Roewer, 1960 B 447 g (1) Egypt

L. ferox (Lucas, 1838) R2a 265 ♂♂ (10)

Rec: Siwa Oasis, Wadi Natron

Ref: 1. Lycosa f. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)
2. Lycosa f. Denis, 1947b p.32 pl.1 f.3-5 Ngq Siwa

Genus *Lycosa* Latreille, 1804

Re: L. cingara (C.L.Koch, 1848) R2a 268 ♀ (1) Egypt

L. cretacea Simon, 1898 R2a 268 ♀ (2)

Rec: Saqqarah (near Gizah)

Ref: 1. L.c. Simon, 1898 p.27 Dg Saccarah desert

L. nilotica Savigny, 1825 R2a 269 ♀ (1)

Rec: Alexandria, Assuan, Cairo

Ref: 1. L.n. Audouin, 1825 pp. 147-8 pl. 4 f. 7 Dp
on the banks of the canal of Alexandria

2. L.n. Simon, 1907 p.8 N. Cairo, Assouan
(common in the Nile valley)

L. radiata Latreille, 1819

(Hogna r.) (T) R2a 249 ♂ (31)

Rec: Cairo

Ref: 1. Tarentula r. var. liguriensis Pavesi, 1878 p.385 N Egypt
2. J. - Simon, 1907

2. L.r. Simon, 1907 p.8 N Cairo

L. sinai (Roewer, 1959)

(Hogna s.) B 444 ♀ (1) Egypt (Sinai)

Rec : ---

L. tarentula (Rossi, 1790) (T) R2a 270 ♂♂ (13)

Rec: Sinai (southern)

Ref: 1. L. *apuliae* Cambridge, 1870 p.820 N in an old wall,
Wady Ferran, peninsula Sinai

L. truculenta (Cambridge, 1876)

(Hogna t.) R2a 250 o (1)

Rec: Alexandria

Ref: 1. Tarentula t. Cambridge, 1876 pp.601-2 Do (immature ♀)
Genus Messor near Alexandria

Genus *Megarctosa* Caporiacco, 1948

M. argentata (Denis, 1947) R2a 277 ♀ (1)

Rec: Siwa Oasis

Ref: 1. Arctosa a. Denis, 1947b pp.36-7 pl.6 f.1 Dg Sitra

Genus *Ocyale* Savigny, 1825

atalanta Savigny, 1825 (T) R2a 280 ♂♂ (13)

Rec: Wadi Natron

Ref: 1. O.a. Audouin, 1825 p.150 pl.4 f.10 Dg (near Jaffa)

2. *Trochosa maculata* L.Koch, 1875 pp.78-80 pl.7 f.5 D♀
(Habab, Abyssinea)
 3. *Trochosa lactea* L.Koch, 1875 pp.80-82 pl.7 f.6 D♀
(Habab, Abyssinea)
 4. O.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)
D. _____ pelliona (Savigny, 1825) R2a 280 ♀ (4)
- Rec: Rosetta
Ref: 1. *Lycosa* p. Audouin, 1825 pp.146-7 pl.4 f.5 D♀
near Rosetta
- Genus *Drinocosa* Chamberlin, 1916
D. _____ priesneri Roewer, 1959 B 451 ♂ (1) Egypt
- Rec: ---
- Genus *Orthocosa* Roewer, 1954
O. _____ ambigua (Denis, 1947) R2a 281 ♀ (1)
- Rec: Siwa Oasis
Ref: 1. *Arctosa* a. Denis, 1947b p.34 pl.1 f.8 D♀
Siwa, Sitra, Ilrhabit Reseur.
- Genus *Pardosa* C.L.Koch, 1848
P. _____ iniqua (Cambridge, 1876) R2a 164 ♀ (1)
- Rec: Alexandria
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.605-6 D♀ under a stone
near Alexandria
P. _____ injucunda (Cambridge, 1876) R2a 177 ♂♀ (4)
- Rec: Alexandria, Cairo, Siwa Oasis
Ref: 1. *Lycosa* i. Cambridge, 1876 p.605 pl.60 f.15 D♂♀
near Cairo and Alexandria
2. P.i. Denis, 1947b p.39 N Girba, Khamissa, Zeitoun
P. _____ inopina (Cambridge, 1876) R2a 177 ♂♀ (2)
- Rec: Alexandria, Wadi Natron
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.607-8 pl.60 f.16 D♂♀
common near Alexandria
2. P.i. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)
P. _____ inquieta (Cambridge, 1876) R2a 164 ♂ (1)
- Rec: Alexandria
Ref: 1. *Lycosa* i. Cambridge, 1876 pp.606-7 D♂ near Alexandria
P. _____ observans (Cambridge, 1876) R2a 169 ♂♀ (2)
- Rec: Alexandria
Ref: 1. *Lycosa* o. Cambridge, 1876 pp.608-9 D♂♀ near Alexandria
P. _____ serena (L.Koch, 1875) R2a 173 o (1)
- Rec: Cairo
Ref: 1. *Lycosa* s. Koch, 1875 pp.71-2 Do (immature ♀) near Cairo
- Genus *Pirata* Sundevall, 1833
P. _____ proxima Cambridge, 1876 R2a 284 ♀ (1)
- Rec: Alexandria
Ref: 1. P.p. Cambridge, 1876 pp.598-9 D♀ in a swamp
near Alexandria
- Genus *Trochosa* C.L.Koch, 1846
T. _____ annulipes L.Koch, 1875 R2a 304 ♀ (2)
- Rec: Cairo
Ref: 1. T.a. Koch, 1875 pp.77-8 pl.7 f.4 D♀ near Cairo
2. T.a. Pavesi, 1883 p.69 N Egypt

2. O.p. Simon, 1907 p.1 N Cheops pyramid, near Cairo
 3. O.p. Simon, 1910 p.285 N Temple of Philae, Cairo
in houses and under stones
 4. O.p. Hassan, 1953 pp.19-21 f.2 D♂♀ Egypt
 5. O.p. Kritscher, 1966 pp.290-1 f.11,12 D♂
Upper Egypt, ruins of Temple of Philae
- O. _____ templi Cambridge, 1876 R2b 1289 ♂♀ (2)

Rec: Upper Egypt (near Assuan)?

- Ref: 1. O.t. Cambridge, 1876 pp.545-6 pl.58 f.2 D♂♀ among
the ruins of the Temple of Philae, in Upper Egypt?
2. O.t. Simon, 1910 p.286 N Egypt
 3. O.t. Hassan, 1953 pp.16-9 f.1 D♂♀ Egypt
 4. O.t. Kritscher, 1966 p.293-4 f.19-21 D♂♀ Egypt
 5. O.t. Brignoli, 1979 pp.124-5 f.1-4 N♂♀ Egypt

Family Donopidae

Genus **Dysderina** Simon, 1891

D. _____ scutata (Cambridge, 1876) R1 282 ♂♀ (1)

Rec: Alexandria

- Ref: 1. Donops s. Cambridge, 1876 pp.547-9 pl.58 f.2A D♂♀
under stones, near Alexandria
2. D.s. Simon, 1910 p.310 N Alexandria

Genus **Gamasomorpha** Karsch, 1881

G. _____ arabica Simon, 1893 R1 284 ♂ (1)

Rec: Ain-Musa (near Suez)

- Ref: 1. G.a. Simon, 1893 pp.302-3 D♂ Ain-Mouça, near Suez!
2. G.a. Simon, 1910 p.309 N Ain-Mouça, near Suez!
- G. _____ margaritae Denis, 1947 B 183 ♀ (1)

Rec: Siwa Oasis

- Ref: 1. G.m. Denis, 1947b p.83 pl.4 f.13-15 D♀ Siwa

Genus **Opopaea** Simon, 1891

O. _____ punctata (Cambridge, 1872) R1 288 ♂♀ (4)

Rec: Ain-Musa (near Suez), Alexandria

- Ref: 1. Donops p. Cambridge, 1872a pp.223-4 pl.14 f.3A D♂
2. O.p. Simon, 1910 p.309 N Alexandria, Ain-Mouça

Genus **Sulsula** Simon, 1882

S. _____ paupera (Cambridge, 1876) R1 281 ♂♀ (4)

Rec: Alexandria

- Ref: 1. Donops p. Cambridge, 1876 pp.549-550 D♀ Alexandria
under a stone
2. S.p. Simon, 1910 p.308 N Alexandria

Family Oxyopidae

Genus **Oxyopes** Latreille, 1804

O. _____ bilineatus Cambridge, 1876 R2a 318 o (1)

Rec: Cairo

- Ref: 1. O.b. Cambridge, 1876 p.609 Do (immature o)
on branches of the sont acacia, near Cairo

O. _____ heterophthalmus (Latreille, 1804) (T) R2a 318 ♂♀ (20)

Rec: Alexandria, Cairo, Sinai

- Ref: 1. Sphasus alexandrinus Audouin, 1825 pp.142-3 pl.4 f.1 D♀
from the desert, near Alexandria
2. Sphasus alexandrinus Cambridge, 1870 p.819 N
Jebel Musa, peninsula Sinai
 3. D.alexandrinus Cambridge, 1876 p.609 N near Cairo
on branches of the sont acacia

- O. lineatus Latreille, 1806 R2a 319 ♂♀ (16)
 Rec: ---
 Ref: 1. O.l. Pavesi, 1878 p.387 N Egypt
 Genus Peucetia Thorell, 1869
P. arabica Simon, 1882 R2a 334-5 ♂♀ (6)
 Rec: Cairo, Siwa Oasis, Suez
 Ref: 1. P.a. Simon, 1907 p.9 N Cairo
 2. P.a. Denis, 1947b pp.39-40 pl.1 f.15 N♀ Siwa
 [Djebel Ataka near Suez : Simon, 1890]
P. viridis (Blackwall, 1858) (T) R2a 335 ♂♀ (6)
 Rec: Sinai
 Ref: 1. Pasithea v. Cambridge, 1870 p.819 N Jebel Musa, pen. Sinai

Family Palpimanidae

- Genus Palpimanus Dufour, 1820
P. aegyptiacus Kulczynski, 1909 R1 377 ♂ (1)
 Rec: ---
 Ref: 1. P.a. Platnick, 1981 pp.170-2 f.2,11 N♂♀ Egypt
 [♂ holotype, MNHN Paris, from Egypt]
P. gibbulus Dufour, 1820 (T) R1 378 ♂♀ (10)
 Rec: Alexandria, Cairo to Luxor, Nubia
 Ref: 1. Platyscelum savignyi Audouin, 1825 pp.167-8 pl.7 f.6,7
 D♂(♀)
 2. P.haematinus Cambridge, 1876 p.554 N♀ near Alexandria
 3. P.savignyi Cambridge, 1876 p.554 N♀ ascending the Nile
 from Cairo to Thebes
 4. P.g. Pavesi, 1878 p.389-390 N Egypt
 5. P.g. Simon, 1882 p.228 N Nubia
 6. P.g. Platnick, 1981 pp.170-2 f.1,10 N♂♀
P. uncatus Kulczynski, 1909 R1 378 ♂ (1)
 Rec: ---
 Ref: 1. P.u. Platnick, 1981 pp.170,172 f.4,13 D♂♀ Egypt
 [4♂♂ syntypes, MNHN Paris, from Egypt]

Family Philodromidae

- Genus Philodromus Walckenaer, 1825
P. bigibbus (Cambridge, 1876) R2a 782 ♀ (2)
 Rec: Alexandria, Assuan
 Ref: 1. Artanes b. Cambridge, 1976 p.590 D♂(immature ♀)
 among herbage, near Alexandria
 2. P.b. Simon, 1907 p.7 N Elephantine (on Acacia nilotica)
P. cinereus Cambridge, 1876 R2a 773 ♀ (1)
 Rec: Cairo
 Ref: 1. P.c. Cambridge, 1876 pp.494-5 D♀ near Cairo
P. clerckii Audouin, 1825 R2b 1623 nicht zu
 deuten!
 Rec: ---
 Ref: 1. P.c. Audouin, 1825 p.159 pl.5 f.10 D♀
P. denisi Levy, 1977
 Rec: Siwa Oasis
 Ref: 1. Thanatus albini Denis, 1947b p.58 pl.4 f.2,3 D♂♀
 Baharein, East Lake shore
 2. P.d. Levy, 1977 p.214 N (nomen novum)

- P. glaucinus Simon, 1870 R2a 776 ♂♀ (4)
Rec: Siwa Oasis, Upper Egypt
Ref: 1. P. medius Cambridge, 1876 p. 594 N upon the lower boughs
of the sont acacia, in Upper Egypt
2. P.g. Denis, 1947b p. 57 N Siwa
3. P.g. Levy, 1977 pp. 200-3 f. 14-18 D♂♀
P. lepidus Blackwall, 1870 R2a 782 ♂♀ (3)
Rec: Assuan, Cairo, wadi Natron
Ref: 1. P.l. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
2. P.l. Simon, 1907 p. 7 N Cairo; Elephantine
(on Acacia nilotica)
P. lugens (Cambridge, 1876) R2a 778 o (2)
Rec: Alexandria
Ref: 1. Artanes l. Cambridge, 1876 p. 591 Do (immature ♀)
near Alexandria
P. omer-cooperi Denis, 1947 R2a 778 ♂ (1)
Rec: Siwa Oasis
Ref: 1. P.o. Denis, 1947b p. 56 pl. 3 f. 4 D♂ Shiata
P. sinaiticus Levy, 1977 B 600 ♀ (1)
Rec: Sinai
Ref: 1. P.s. Levy, 1977 pp. 204-5 f. 21, 22 D♀
'En Higiya, Wadi Kid, Wadi Madsus
P. venustus Cambridge, 1876 R2a 780 ♂♀ (1)
Rec: Cairo to Manfalut
Ref: 1. P.v. Cambridge, 1876 pp. 595-6 pl. 59 f. 12 D♂♀
on the branches of the sont acacia, during the
ascent of the Nile, between Cairo and Manfaloot
Genus Thanatus C.L.Koch, 1837
T. albescens Cambridge, 1885 R2a 796 ♂♀ (2)
Rec: Sinai
Ref: 1. T. fornicatus Levy, 1977 pp. 224-6 f. 59, 60 D♀
Sinai! near General Parker Memorial
T. albin (Audouin, 1825) R2a 790 ♂ (4)
Rec: Cairo
Ref: 1. Philodromus a. Audouin, 1825 p. 161 pl. 6 f. 4 D♂
2. T.a. Cambridge, 1876 p. 591 N among low herbage and
running on bare spots, in various parts of Egypt
3. T.a. Simon, 1907 p. 7 N Cairo
4. T. vulgaris Levy, 1977 pp. 214-8 F. 43-47 D♂♀
T. fabricii (Audouin, 1825) R2a 791 ♂♀ (4)
Rec: Alexandria, Siwa Oasis
Ref: 1. Philodromus f. Audouin, 1825 p. 161 pl. 6 f. 3 D♂
2. Philodromus adjacens Cambridge, 1876 pp. 592-4 pl. 59 f. 11
D♂♀ in desert places near Alexandria ("very difficult
to be seen except when moving, owing to the exact adapt-
ation of their colours to the surface of the ground")
3. T.f. Denis, 1947b p. 57-8 pl. 2 f. 18, pl. 3 f. 5, 6 D♂♀
Siwa, Gara
4. T. adjacens Denis, 1947b p. 58 N Siwa
5. T.f. Levy, 1977 pp. 219-222 f. 50-54 D♂♀
T. flavescens Cambridge, 1876 R2a 791 o (1)
Rec: Cairo
Ref: 1. T.f. Cambridge, 1876 p. 592 Do (immature ♂♀)
on a low bush near Cairo

T. _____ flavus Cambridge, 1876 R2a 791 ♀ (1)
Rec: Alexandria
Ref: 1. T.f. Cambridge, 1876 p.592 D♀ on low plants in a marsh,
near Alexandria
2. T.f. Pavesi, 1883 p.57 N Egypt
T. _____ formicinus (Clerck, 1757) R2a 794-5 ♂♀ (39)
Rec: ---
Ref: 1. Philodromus rhombiferens Audouin, 1825 pp.161-2 pl.6 f.5
D♀
Genus **Tibellus** Simon, 1875
T. _____ lesserti Roewer, 1951 R2a 798 ♀ (3)
Rec: Cairo
Ref: 1. Thanatus lineatipes Cambridge, 1876 pp.591-2 D♀
on a low plant near Cairo
T. _____ vossioni Simon, 1884 R2a 800 ♂♀ (4)
Rec: Siwa Oasis
Ref: 1. T.v. Denis, 1947b pp.58-9 N♀ El Arig.

Family Pholcidae

Genus **Artema** Walckenaer, 1837
A. _____ atlanta Walckenaer, 1837 [T] R1 334 ♂♀ (8)
 (A.mauriciana) R1 333 ♂♀ (7)
 (A.sisyphoides) R1 334 ♂♀ (6)
 (A.kochii) R1 334 ♀ (2)

Rec: Cairo, Siwa Oasis, Wadi Natron
Ref: 1. Pholcus borbonicus Koch, 1875 pp.25-6 pl.3 f.1 D♂
 surroundings of Cairo
2. Pholcus borbonicus Simon, 1882 p.234 N
 distributed abundantly in all Egypt
3. A.mauriciana Simon, 1899 p.244 N Bir-Hooker(Wadi Natron)
4. A.mauriciana Denis, 1947b pp.26-7 N♂♀ Siwa
5. A.a. Brignoli, 1981 pp.92-3 f.1-7 D♂♀
 surroundings of Cairo

Genus **Crossopriza** Simon, 1893
C. _____ semicaudata (Cambridge, 1876) R1 334 ♂♀ (3)

Rec: Cairo to Luxor
Ref: 1. Pholcus s. Cambridge, 1876 pp.565-6 D♂♀
 Upper Egypt: Cairo to Thebes and above
2. Holocnemus s. Simon, 1907 p.5 N surroundings of Cairo,
 and in the plain of Thebes (after Cambridge)
3. C.s. Denis, 1944 p.48 N Louksor

Genus **Holocnemus** Simon, 1875
H. _____ pluchii (Scopoli, 1763) R1 335 ♂♀ (17)

Rec: Alexandria, Cairo, Sinai(southern)
Ref: 1. Aranea p. Scopoli, 1763 p.404 D
2. Aranea rivulata Forskål, 1775 p.86 D Cairo
3. Pholcus rivulatus Audouin, 1825 pp.140-1 pl.3 f.12 D♂
 Cairo, inside houses
4. Pholcus rivulatus Cambridge, 1870 p.819 N
 Convent gardens and back of Mount Sinai
5. Pholcus rivulatus Koch, 1875 p.25 N
 surroundings of Cairo
6. Pholcus rivulatus Cambridge, 1876 pp.566-7 N♂♀(D♂)
 Alexandria and Cairo
7. Pholcus rivulatus Pavesi, 1878 p.372 N Egvpt

8. *Holocnemus rivulatus* Simon, 1899 p.244 N
Bir-Hooker (Wadi Natron)
9. *Holocnemus rivulatus* Strand, 1908c p.93 N
Bir-Hooker (Wadi-Natron)
10. *Holocnemus pluchei* Denis, 1947b p.27 N♂♀ Siwa
- Genus **Micropholcus** Deeleman-Reinhold & Prinsen, 1987
- M. _____ fauroti* (Simon, 1887) (T) P 133 ♂♀ (1)
(*Pholcus* f.) R1 340 ♂♀ (1)

Rec:---

Ref: 1. M.f. Deeleman-Reinhold & Prinsen, 1987 pp.73-6 f.1-9
D♂♀ Egypt

Genus **Pholcus** Walckenaer, 1805

P. _____ phalangioides (Fuesslin, 1775) R1 338-9 ♂♀ (24)

Rec: Alexandria

Ref: 1. P.p. Audouin, 1825 pp.141-2 pl.3 f.13 D♂♀ Alexandria
2. P.p. Pavesi, 1878 p.372 N Egypt

Family **Pisauridae**

Genus **Nilus** Cambridge, 1876

N. _____ curtus Cambridge, 1876 (T) R2a 116 o (2)

Rec: Alexandria

Ref: 1. N.c. Cambridge, 1876 pp.596-7 pl.60 f.13 Do (immature ♀)
on rushes in a marsh, near Alexandria

Genus **Pisaura** Simon, 1885

P. _____ mirabilis (Clerck, 1757) (T) R2a 119-120 ♂♀ (46)

Rec:---

Palaearctic

Ref: 1. *Aranea listeri* Scopoli, 1763 p.397 D

Genus **Rothus** Simon, 1898

R. _____ atlanticus Simon, 1898 R2a 122 ♀ (2)

Rec: Siwa Oasis

Ref: 1. R.a. Simon, 1898 p.14 D♀
2. R.a. Denis, 1947b p.31 N Siwa

Genus **Thalassius** Simon, 1883

T. _____ pallidus (L.Koch, 1875) R2a 149 ♀ (5) Egypt

Rec:---

Ref: 1. *Ctenus* p. Koch, 1875 pp.84-5 pl.7 f.7 D♀ (Abyssinea)

Family **Prodidomidae**

Genus **Prodidomus** Hentz, 1847

P. _____ amaranthinus (Lucas, 1846) R2a 344 ♂♀ (8)

(*P. diversus*) R2a 344 ♂ (2)

(*P. letourneuxi*) R2a 344 ♂♀ (4)

Rec: Alexandria, Cairo

Ref: 1. *Miltia* a. Cambridge, 1872 pp.218-9 D♂
2. *Miltia diversa* Cambridge, 1872 p.219 D♂
3. *P. letourneuxi* Simon, 1907 p.3 N Cairo, Alexandria
4. P.a. Dalmas, 1918 pp.301-3 f.1, 6, 8, 18, 22 D♂♀
5. *P. diversus* Dalmas, 1918 pp.303-4 N♂
6. *P. letourneuxi* Dalmas, 1918 p.304 f.9, 10 D♂ (immature ♀)
Alexandria and Cairo
7. P.a. Cooke, 1964 pp.267-9 f.3, 4, 8, 27 D♂♀

Genus **Zimirina** Dalmas, 1918

Z. _____ vastitatis Cooke, 1964 B 563 ♀ (1)

Rec: Sollum

Ref: 1. Z.v. Cooke, 1964 pp.291-2 f.21 D♀ under stones on very
arid ground near the shore, Sollum, N.W. Egypt

Family **Salticidae**Genus **Aelurillus** Simon, 1884A. _____ conveniensi (Cambridge, 1872) R2b 1113 ♂♀ (4)

Rec: Siwa Oasis

Ref: 1. Salticus c. Cambridge, 1872a pp. 336-7 D♂

2. A.c. Denis, 1947b pp. 74-5 pl. 6 f. 10 D♀ Siwa

A. _____ dorthesii (Audouin, 1825) R2b 1113 ♀ (3)

Rec: Cairo, Wadi Natron

Ref: 1. Attus d. Audouin, 1825 p. 170 pl. 7 f. 9 D♀

2. Aelurops d. Koch, 1875 p. 94 N near Cairo

3. A.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

A. _____ mallezi Denis, 1947 R2b 1115 ♀ (1)

Rec: Siwa Oasis

Ref: 1. A.m. Denis, 1947b pp. 75-6 pl. 6 f. 11 D♀ Siwa

A. _____ monardi (Lucas, 1846) R2b 1116 ♂♀ (6)

Rec: Cairo

Ref: 1. Attus m. Cambridge, 1876 p. 611 N near Cairo

A. _____ ogieri (Simon, 1868) R2b 1116 ♂ (4)

Rec: Lower Egypt

Ref: 1. A.o. Simon, 1884 p. 315 N Lower Egypt

Genus **Ballus** C.L. Koch, 1850B. _____ piger Cambridge, 1876 R2b 972 ♀ (1)

Rec: Upper Egypt

Ref: 1. B.p. Cambridge, 1876 pp. 609-610 D♀ Upper Egypt

Genus **Bianor** Peckham, 1886B. _____ albobimaculatus (Lucas, 1846) R2b 1231 ♂♀ (11)

Rec: Alexandria, Cairo, Siwa Oasis, Suez

Ref: 1. B.a. Simon, 1907 p. 9 N Cairo

2. B.a. Denis, 1947b p. 72 N♂♀ Siwa, Ilrhabit Uncorde
[Alexandria, Suez : Simon, 1937]Genus **Cosmophasis** Simon, 1901C. _____ cincta Denis, 1947 R2b 1150 o♀ (1)

Rec: Siwa Oasis

Ref: 1. C.c. Denis, 1947b pp. 67-8 pl. 4 f. 9 D♀ (immature ♂)
Siwa, Ilrhabit UncordeGenus **Eugasmia** Simon, 1902E. _____ occidentalis Denis, 1947 R2b 1045 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. E.o. Denis, 1947b pp. 82-3 pl. 5 f. 17, pl. 6 f. 14-15 D♂♀
Siwa, KhamissaGenus **Euophrys** C.L. Koch, 1834E. _____ granulata Denis, 1947 R2b 1174 ♀ (1)

Rec: Siwa Oasis

Ref: 1. E.g. Denis, 1947b p. 70 pl. 5 f. 5 D♀ Siwa

Genus **Festucula** Simon, 1901F. _____ vermiformis Simon, 1901 (T) R2b 1257 ♀ (3)

Rec: Alexandria, Suez

Ref: 1. F.v. Simon, 1901 p. 155 D♀ Alexandria, Suez!

Genus **Hasarius** Simon, 1871H. _____ adansonii (Audouin, 1825) (T) R2b 997-8 ♂♀ (32)

Rec: Alexandria, Cairo, Ras El-Barr

Ref: 1. Attus a. Audouin, 1825 p. 169 pl. 7 f. 8 D♂

2. Attus tardigradus Audouin, 1825 p. 170 pl. 7 f. 13 D♀

3. Salticus a. Cambridge, 1872a p. 324 N

Alexandria, in a bedroom at a hotel

4. Plexippus a. Cambridge, 1876 p. 622 N at Cairo
5. H.a. Pavesi, 1878 p. 394 N Egypt
6. H.a. El-Hennawy, 1988 p. 21 N inside houses,
Cairo (Heliopolis), Ras El-Barr

Genus **Heliophanus** C.L.Koch, 1837

H. _____ cupreus (Walckenaer, 1802) R2b 1156-7 ♂♀ (37)

Rec: ---

- Ref: 1. Attus c. Audouin, 1825 p. 171 pl. 7 f. 15 D♂
 2. H.c. Wesołowska, 1986 pp. 215-6 f. 671-683, 894 D♂♀
H. _____ decoratus L.Koch, 1875 R2b 1164 ♂♀ (4)

Rec: Alexandria, Cairo, Siwa Oasis, Suez, Wadi Natron

- Ref: 1. H.d. Koch, 1875 pp. 87-88 pl. 7 f. 8 D♂ near Cairo
 2. H.d. Cambridge, 1876 p. 624 N among plants on the walls
 of the fortifications near Alexandria
 3. H.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
 4. H.d. Caporiacco, 1928 p. 101 N Egypt
 5. H.d. Denis, 1947b p. 68 N Siwa (from tamarisk),
 Aghourmik salt marsh
 6. H.d. Wesołowska, 1986 pp. 208-9 f. 549-557, 559-566,
 570-584, 905 D♂♀ Suez, Siwa near Tamarisk
H. _____ edentulus Simon, 1871 R2b 1158 ♂ (4)

Rec: Alexandria

- Ref: 1. Attus delectus Cambridge, 1876 p. 610 pl. 60 f. 88 N♂♀
 near Alexandria
 2. H.e. Wesołowska, 1986 pp. 17-18 f. 96-104, 896 D♂♀
H. _____ glaucus Bösenberg & Lenz, 1894 R2b 1159 o (1)

Rec: Alexandria, Siwa Oasis

- Ref: 1. H. albescens Denis, 1947b pp. 68-9 pl. 5 f. 1-3, pl. 6 f. 3 D♂♀
 Siwa (from Tamarix sp.)
 2. H.g. Wesołowska, 1986 p. 208 f. 558, 567-9, 905 D♂♀
 Siwa, Alexandria

Genus **Hycitia** Simon, 1876

H. _____ staintonii (Cambridge, 1872) R2b 1258 ♂ (2)

Rec: Upper Egypt

- Ref: 1. Attus s. Cambridge, 1876 p. 610 N in Upper Egypt

Genus **Hyllus** C.L.Koch, 1846

H. _____ plexippoides Simon, 1906 R2b 1054 ♀ (1) Egypt
 P 582 ♀ (1) Egypt

Rec: ---

Genus **Icius** Simon, 1876

I. _____ fulgens (Cambridge, 1872)

(Euophrys f.) R2b 1174 ♂♀ (3)

Rec: Alexandria, Cairo, Siwa Oasis, Upper Egypt

- Ref: 1. Salticus f. Cambridge, 1872a pp. 340-1 pl. 14 f. 17 D♂♀
 among plants on walls and rocks at Alexandria, Cairo,
 and in Upper Egypt
 2. Attus f. Cambridge, 1876 p. 611 N on trees and plants
 near Alexandria, Cairo and in Upper Egypt
 3. Evophrys f. Denis, 1947b p. 69 pl. 5 f. 4 N♀ Siwa,
 marsh at Khamissa, Baharein, East Lake shore
 4. I.f. Wesołowska, 1988 pp. 398-400 f. 1, 10-17 D♂♀ Siwa
I. _____ lucipeta (Simon, 1890)
 (Heliophanus l.) R2b 1159 ♂♀ (3)

Rec: Alexandria, Suez

- Ref: 1. Pseudicius l. Wesołowska, 1986 p. 230 N comb.n.
 2. I.l. Wesołowska, 1988 pp. 395-7 f. 1, 2-9 D♂♀
 Suez, Alexandria

Genus **Langona** Simon, 1901

L. _____ alfensis Hęciak & Prószyński, 1983 P 584 ♂♀ (1)

Rec: Wadi Halfa

Ref: 1. L.a. Hęciak & Prószyński, 1983 pp.226-7
f.3,6,7,22,23,28,29 D♂♀ Wadi Halfa

L. _____ mendax (Cambridge, 1876) R2b 1121 ♂ (2)

Rec: Cairo

Ref: 1. Attus m. Cambridge, 1876 pp.615-6 D♂ near Cairo

L. _____ redii (Audouin, 1825) (T) R2b 1121 ♂♀ (5)

Rec: Alexandria

Ref: 1. Attus r. Audouin, 1825 p.172 pl.7 f.21 D♂

2. Attus effigies or A.interceptor Cambridge, 1876 pp.616-7
D♂ near Alexandria

3. L.r. Hęciak & Prószyński, 1983 pp.209-211
f.1,2,4,5,12,25,37,38 D♂♀ Egypt

Genus **Menemerus** Simon, 1868

M. _____ animatus Cambridge, 1876 R2b 1266 ♂♀ (5)

Rec: Alexandria, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. M.a. Cambridge, 1876 pp.622-3 pl.60 f.89 D♂♀
on rocks and walls in Upper Egypt
(immature examples near Alexandria)

2. M.a. Simon, 1884 p.308 N Lower Egypt

3. M.a. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

4. M.a. Denis, 1947b p.71 pl.4 f.16 N♀ Siwa

M. _____ gesneri (Audouin, 1825) R2b 1264 ♀ (2)

Rec:---

Ref: 1. Attus g. Audouin, 1825 p.170 pl.7 f.12 D♀

M. _____ heydenii Simon, 1868 R2b 1264 ♂♀ (1)

Rec: Cairo, Upper Egypt

Ref: 1. M.h. Cambridge, 1876 p.622 N upon the trunks of palm
trees near Cairo and in Upper Egypt

M. _____ hunterii (Audouin, 1825) R2b 1265 ♀ (2)

Rec:---

Ref: 1. Attus h. Audouin, 1825 p.171 pl.7 f.19 D♀

M. _____ illigerii (Audouin, 1825) R2b 1266 ♀ (4)

Rec:---

Ref: 1. Attus i. Audouin, 1825 p.172 pl.7 f.20 D♀

M. _____ interemptor Cambridge, 1876 R2b 1265 ♀ (1)

Rec: Cairo

Ref: 1. M.i. Cambridge, 1876 pp.623-4 D♀ near Cairo

M. _____ semilimbatus (Hahn, 1829) (T) R2b 1265 ♂♀ (13)

Rec: Cairo

Ref: 1. M.vigoratus Cambridge, 1876 p.622 N near Cairo

2. M.s. Pavesi, 1878 p.391 N Egypt

M. _____ soldanii (Audouin, 1825) R2b 1265 ♂♀ (5)

Rec: Alexandria, Siwa Oasis

Ref: 1. Attus s. Audouin, 1825 p.171 pl.7 f.17,18 D♂♀

2. Attus s. Cambridge, 1876 p.611 N near Alexandria

3. M.s. Denis, 1947b pp.71-2 pl.6 f.7,8 N♂♀
Siwa (on Acacia trees)

Genus **Mithion** Simon, 1884

M. _____ memorabilis (Cambridge, 1876) R2b 1269 ♂♀ (5)

Rec: Alexandria

Ref: 1. Attus m. Cambridge, 1876 pp.618-620 pl.60 f.110 D♂♀
among rushes and herbage in a marsh near Alexandria

Genus **Modunda** Simon, 1901

M. phragmitis Simon, 1901 (T) R2b 1223 ♂♀ (2)

Rec: Suez

Ref: 1. M.p. Simon, 1901 pp. 160-1 D♂♀ Suez!

Genus **Mogrus** Simon, 1882

M. bonnetii (Audouin, 1825) R2b 1122 ♂♀ (4)

Rec: Alexandria, Siwa Oasis, Upper Egypt, Wadi Natron

Ref: 1. Attus b. Audouin, 1825 p. 170 pl. 7 f. 14 D♀

2. Attus b. Cambridge, 1876 pp. 611-2 D♂♀ near Alexandria, also at the roots and among the stems of stunted plants on the desert near Jebel y Silsilis in Upper Egypt

3. M.b. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)

4. M.b. Denis, 1947b p. 76 pl. 5 f. 10-12 N♂♀ Siwa (from Tamarix and Acacia trees), Khamissa, El Arig, Baharein, East Lake shore, Girba

M. canescens (C.L. Koch, 1846) R2b 1122 ♂♀ (7) Egypt

Rec:---

Genus **Natta** Karsch, 1879

N. tristellata (Simon, 1906) P 600 ♂ (2) Egypt
(Cyllobelus t.) R2b 1154 ♂ (2) Egypt

Rec:---

Ref: 1. N.t. Prószyński, 1985 p. 83 f. 42-44 D♂ comb.n.

Genus **Neaetha** Simon, 1884

N. aegyptiaca Denis, 1947 R2b 1123 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. N.a. Denis, 1947b pp. 78-9 pl. 5 f. 14-16 D♂♀

Siwa, Ilrhabit Uncorde, Sitra, Gara

N. cerussata (Simon, 1868) R2b 1123 ♂ (3)

Rec:---

Ref: 1. Attus c. Pavesi, 1878 p. 395 N Egypt

N. oculata (Cambridge, 1876) R2b 1124 ♂♀ (2)

Rec: Upper Egypt

Ref: 1. Attus o. Cambridge, 1876 pp. 612-4 pl. 60 f. 90 D♂♀

at the roots and among the stems of scattered herbage on the desert near Gebel-y-Silsilis, in Upper Egypt

Genus **Pachypoessa** Simon, 1902

P. plebeja (L. Koch, 1875) P 603 ♂♀ (1)
(Euophrys p.) R2b 1177 ♀ (1)

Rec: Cairo

Ref: 1. Euophrys p. Koch, 1875 pp. 90-2 pl. 7 f. 9 D♀ near Cairo

2. Evophrys p. Caporiacco, 1928 p. 103 N Egypt

Genus **Paraneaetha** Denis, 1947

P. diversa Denis, 1947 (T) R2b 1124 ♀ (1)

Rec: Siwa Oasis

Ref: 1. P.d. Denis, 1947b pp. 77-8 pl. 5 f. 13 D♀ Khamissa

Genus **Pellenes** Simon, 1876

P. frischii (Audouin, 1825) R2b 1125 ♀ (2)

Rec:---

Ref: 1. Attus f. Audouin, 1825 p. 170 pl. 7 f. 11 D♀

Genus **Philaeus** Thorell, 1869

P. chrysops (Poda, 1761) (T) R2b 1064-5 ♂♀ (50)

Rec: Sinai (southern)

Ref: 1. Aranea sloanii & A. catesbaei Scopoli, 1763 p. 401 D

2. Attus sanguinolentus Cambridge, 1870 p. 820 N
Convent gardens and back of Mount Sinai

Genus **Phlegra** Simon, 1876

P. _____ flavipes Denis, 1947 R2b 1139 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. P.v. Denis, 1947b pp.72-3 pl.5 f.6-8 D♂♀ Siwa

P. _____ memorialis (Cambridge, 1876) R2b 1139 ♂♀ (2)

Rec: Siwa Oasis, Upper Egypt

Ref: 1. Attus m. Cambridge, 1876 pp.617-8 D♂♀ Upper Egypt

2. P.m. Denis, 1947b p.74 pl.6 f.9 N♂ Siwa

P. _____ proxima Denis, 1947 R2b 1140 ♀ (1)

Rec: Siwa Oasis

Ref: 1. P.p. Denis, 1947b pp.73-4 pl.5 f.9 D♀ Sitra

Genus **Plexippus** C.L.Koch, 1846

P. _____ paykullii (Audouin, 1825) (T) R2b 1086-7 ♂♀ (36)

Rec: Alexandria, Cairo, Sinai (southern)

Ref: 1. Attus p. Audouin, 1825 p.172 pl.7 f.22 D♂

2. Salticus vaillantii Cambridge, 1870 p.820 N
in an old wall, Wady Ferran, peninsula of Sinai

3. Attus p. Cambridge, 1876 pp.610-611 N
near Cairo and Alexandria, generally on old walls

Genus **Pseudicius** Simon, 1884

P. _____ punctatus Denis, 1947 R2b 1225 ♂♀ (1)

Rec: Siwa Oasis

Ref: 1. P.p. Denis, 1947b pp.70-71 pl.6 f.4-6 D♂♀
Baharein, East Lake shore

P. _____ spiniger (Cambridge, 1872) R2b 1226 ♂♀ (3)

Rec: Assuan, Cairo, Upper Egypt

Ref: 1. Salticus s. Cambridge, 1872 pp.339-340 D♂♀
on the trunks of palm trees in Egypt

2. Attus s. Cambridge, 1876 p.610 pl.60 f.103 N♂
on the trunks of palm-trees at various places
in Egypt, between Cairo and Assuan

3. P.s. Simon, 1907 p.9 N Elephantine (on Acacia nilotica)

4. Icius s. Andreeva, et al 1984 p.372 f.46-48 N♂♀ Cairo

P. _____ tamaricis Simon, 1885 R2b 1225 ♂♀ (2)

Rec: Wadi Natron

Ref: 1. P.t. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

Genus **Salticus** Latreille, 1804

S. _____ paludivagus Lucas, 1864 R2b 1275 ♀ (3)

Rec: Alexandria

Ref: 1. Epiblemum p. Cambridge, 1876 p.624 N near Alexandria

S. _____ tricinatus (C.L.Koch, 1846) R2b 1275 ♂♀ (3)

Rec: Alexandria

Ref: 1. Epiblemum t. Cambridge, 1876 p.624 N near Alexandria

Genus **Stenaelurillus** Simon, 1885

S. _____ wernerii Simon, 1906 R2b 1143 ♂♀ (1)

P 629 ♂♀ (1) Egypt

Rec:---

Genus **Synageles** Simon, 1876

S. _____ dalmaticus (Keyserling, 1863) R2b 1040 ♂♀ (9)

Rec: Alexandria, Cairo

Ref: 1. Salticus todillus Cambridge, 1872 p.324 N Alexandria

2. Salticus todillus Cambridge, 1876 p.625 N under stones,
near Alexandria

3. S.d. Simon, 1907 p.9 N Cairo

S. _____ repudiatus (Cambridge, 1876) R2b 1040 ♀ (2)
 Rec: Alexandria, Siwa Oasis

Ref: 1. Salticus r. Cambridge, 1876 p.625 ♂ under a stone,
near Alexandria
2. S.r. Denis, 1947b p.67 N Baharein, East Lake shore

Genus **Thyene** Simon, 1885

T. imperialis (Rossi, 1846) (T) R2b 1109 ♂ (15)
 Rec: Assuan, Cairo, Siwa Oasis, Upper Egypt

Ref: 1. Attus regillus Cambridge, 1876 p.611 pl.60 f.17 N3q
near Cairo and in Upper Egypt, on trees and low shrubs

2. *Thya* i. Pavesi, 1878 p.394 N Egypt

3. T.i. Simon, 1907 pp. 9-10 N Philoe island

4. T. i. Denis, 1947b pp. 79-80 N Siwa, Sitra, Khamissa, Anas Yutra, Koreishid

Genus *Thvenula* Simon, 1902

Rec: Siwa Oasis

Ref: 1. T.a. Denis.1947b p.81 pl.6 f.12-13 D♂ Khamissa

Genus *Yllenus* Simon, 1868

Y. saliens Cambridge, 1876
(Attulus s.) R2b 1242 ♂ (4)

Rec: Alexandria, Cairo, Dqueinat, Suez, Upper Egypt

Ref: 1. Y.s. Cambridge, 1876 pp.620-1 pl.60 f.92 D³_g
among the stems and at the roots of scattered stunted
plants on the desert near Jebel y Silsilis

2. *Attulus* s. Simon, 1907 p.10 N Cairo

3. Y.s. Prószyński, 1968 pp.476-9 f.161-7 Dof
Alexandria, Suez, Cairo

4. Y.s. Funda, 1975 pp.36-7 f.3,4 N♀ Uadi el-Ghazal
(Auenat)-Libya

Genus **Attus** ? (Salticus ?) R2b nicht zu deuten!

A. druryi Audouin, 1825 R2b 1423 nicht zu deuten!
Rec:---

Ref: 1. A.d. Audouin.1825 p.170 pl.7 f.10 D^u

A. mendicus Cambridge, 1876 R2b 1426 nicht zu deuten!

Rec: Alexandria to Assuan

Ref: 1. A.m. Cambridge, 1876 pp. 614-5 D♂ on the bare desert
in several places from Alexandria to Assouan

2. A.m. Prószyński, 1971 p.380 Lon.A.m.:BM(NH);
Oxf.-A.m.:Dept.Zool.,Univ.Mus.

A. mouffetii Audouin, 1825 R2b 1427 nicht zu deuten!
 Rec: Alexandria

Ref: I. A.m. Audouin, 1825 p.171 pl.7 f.16 Do

2. A.m. Cambridge, 1876 p. 610 N. near Alexandria

Family Scytodidae

Genus **Scytodes** Latreille, 1804

S. berthelotii Lucas, 1838 R1 324 ♀ (2)

Rec: Wadi Natron

Ref: l. S.b. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

S. immaculata L.Koch, 1975 R1 324 q (1)

Rec: Alexandria, Cairo, El-Fayum, Upper Egypt, Wadi Halfa

Ref: 1. S.i. Koch, 1875 pp.27-28 pl.3 f.2 Dq near Cairo

2. S. i. Simon, 1910 p. 305 N. Alexandria, Cairo, El-Fayoum,
Wadi Halfa, common in Upper Egypt.

S. obelisci Denis, 1947 E 148 ♂ (3)

Rec: Luxor

Ref: 1. S. Lesserti Denis, 1944 pp.43-44 pl.1 f.7, pl.2 f.15 D³
Louxor

2. S.o. Denis, 1947a p. 103 N (nom. nov)

3. S.o. Denis, 1965 pp.104-5 pl.1 f.2 Do

S. thoracica Latreille, 1804 (T) R1 324 ♂ (18)

Rec: Cairo, Siwa Oasis

Ref: 1. S.t. Audouin, 1825 pp.152-3 pl.5 f.1 Dc

2. S.t. Cambridge, 1876 p.564 N (immature ♀) Cairo

3. S.t. Pavesi, 1878 p.373 N Egypt

4. S.t. Simon, 1910 p.305 N Egypt

5. S.t. Denis, 1947b p.25 No Siwa

S. velutina Heineken & Lowe, 1835 R1 324 ♂♀ (6)

Rec: Cairo, Siwa Oasis

Ref: 1. S.kochii Cambridge, 1876 pp.564-5 Do (immature ♀)
near Cairo

2. S.v. Simon, 1910 pp.305-6 N Egypt

3. S.v. Denis, 1947b p.25 No Siwa

S. v. delicatula Simon, 1873 R1 325 ♂ (3)

Rec: Wadi Natron

Ref: 1. S.d. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

2. S.v.d. Simon, 1910 p. 306 N Egypt

Family *Segestriidae*

Genus **Ariadna** Savigny, 1825

A. insidiatrix Savigny, 1825 (T) R1 304 ♂ (9)

Rec: Alexandria, Cairo

Ref: 1. A.i. Audouin, 1825 pp.109-110 pl.1 f.3 Dq Alexandria
inside houses

2. A.i. Cambridge, 1876 p.547 N among debris of an old mud wall, near Cairo

3. *A. spinipes* Simon, 1910 p.331 N Egypt

Genus **Segestria** Latreille, 1804

S. florentina (Rossi, 1790) R1 309 ♂♂ (17)

Rec: Alexandria, Lower Egypt, Sinai(southern)

Ref: 1. *S. perfida* Audouin, 1825 pp.108-9 pl.1 f.2 Do Alexandria
inside houses

2. *S. perfida* Cambridge, 1870 p. 819 N Wady Gherandel, Sinai

3. S.f. Pavese, 1878 p.379 N Lower Egypt.

4. S.f. Simon, 1910 pp.331-2 N Alexandria

Family Selenopidae

Genus **Selenops** Latreille, 1819

S. radiatus Latreille, 1819 (T) R2a 731-2 ♂ (19)

Rec: Wadi Natron, Nile Valley

Ref: 1. *S. aegyptiaca* Audouin, 1825 pp. 162-3 pl. 6 f. 6 Do

2. *S.aegyptiacus* Cambridge, 1876 pp.585-7 pl.59 f.10 D3g
in the Nile boats, Egypt

3. S.r. Pavesi, 1878 p.391 N Egypt

4. S.r. Simon, 1899 p.244 N Bir-Hooker (Wadi Natron)

Family **Tetragnathidae**Genus **Dyschiriognatha** Simon, 1893D. _____ argyrostilba (Cambridge, 1876) R1 994 ♂♀ (2)

Rec: Alexandria

Ref: 1. Pachygnatha a. Cambridge, 1876 pp. 573-4 pl. 59 f. 8 D♂♀
on rushes and other plants in a marsh near AlexandriaGenus **Tetragnatha** Latreille, 1804T. _____ filiformis (Savigny, 1825) R1 973 ♀ (3)

Rec: Alexandria, Nile Delta (Lower Egypt)

Ref: 1. Eugnatha f. Audouin, 1825 pp. 120-1 pl. 2 f. 4 D♀
the Delta's interior
2. T.f. Cambridge, 1876 p. 575 N on rushes in a marsh
near AlexandriaT. _____ flava (Savigny, 1825) R1 974 ♀ (4)

Rec: Alexandria, Rosetta

Ref: 1. Uloborus f. Audouin, 1825 pp. 117-8 pl. 2 f. 1 D♀
near Rosetta
2. T.f. Cambridge, 1876 p. 574 N on rushes in a marsh
near AlexandriaT. _____ isidis (Simon, 1880) P 314 ♂♀ (1)

(Eucta i.) R1 972 ♂♀ (8)

Rec: Alexandria

Ref: 1. Eugnatha i. Simon, 1880c p. 98 D♀ Ramlé, near Alexandria
T. _____ nitens (Savigny, 1825) R1 978 ♂♀ (12)Rec: Alexandria, Cairo, Manzalah (lake), Rosetta, Siwa Oasis,
Wadi NatronRef: 1. Eugnatha n. Audouin, 1825 pp. 118-9 pl. 2 f. 2 D♀
near Rosetta
2. Eugnatha pelusia Audouin, 1825 pp. 119-120 pl. 2 f. 3 D♀
island of Rosetta; islets of Menzaleh lake
3. T. molesta Cambridge, 1872 pp. 295-6 D♂
4. T. molesta Cambridge, 1876 p. 574 N among rushes in a
marsh near Alexandria
5. T.n. Cambridge, 1876 p. 574 N♀ on rushes in a marsh
near Alexandria
6. T. pelusia Cambridge, 1876 p. 575 N near Cairo
7. T.n. Simon, 1880a p. 48 N near Alexandria
8. T.n. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
9. T.n. Simon, 1907 p. 5 N Cairo
10. T.n. Denis, 1947b p. 43 N Siwa, Ilrhabit Uncorde, KhamissaFamily **Theridiidae**Genus **Anelosimus** Simon, 1891A. _____ aulicus (C.L. Koch, 1838) P 190 ♂♀ (2)
(Theridion a.) R1 461 ♂♀ (13)

Rec: Alexandria, Siwa Oasis, Wadi Natron

Ref: 1. Theridion rufolineatum Cambridge, 1876 pp. 569-570 N
on low plants, near Alexandria
2. Theridion a. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
3. Theridion a. Denis, 1947b p. 42 N Siwa
4. A.a. Levy & Amitai, 1982 pp. 124-7 f. 85-92 D♂♀

Genus **Argyrodus** Simon, 1864

- A. argyrodus (Walckenaer, 1841) P 191 ♂♀ (1)
 (Argyrodina a.) R1 430 ♂♀ (11)
 (A. ammonia) B 393 ♂ (1)

Rec: Siwa Oasis

- Ref: 1. A. ammonia Denis, 1947b pp. 40-41 pl. 2 f. 1-3 D♂
 near Khamissa

Genus **Crustulina** Menge, 1838

- C. conspicua (Cambridge, 1872) R1 398 ♂♀ (3) Egypt

Rec: ---

- Ref: 1. Theridion c. Cambridge, 1872 pp. 285-6 pl. 13 f. 11 D♂♀
 beneath stones

Genus **Enoplognatha** Pavesi, 1880

- E. mandibularis (Lucas, 1846) R1 401 ♂♀ (11)

Rec: Alexandria, Cairo

- Ref: 1. Pachygnatha m. Cambridge, 1872 pp. 294-5 N
 under stones, at Cairo
 2. Steatoda m. Cambridge, 1876 pp. 568-9 N
 ♂ running on the rails of the railway near Cairo;
 ♀ under stones near Alexandria

Genus **Euryopsis** Menge, 1868

- E. acuminata (Lucas, 1846)
 (E. episinoides) R1 450 ♂♀ (7)

Rec: Alexandria

- Ref: 1. Theridion scriptum Cambridge, 1872 pp. 283-4 D♂♀ under
 stones and among rubbish and herbage, near Alexandria
 2. E. scripta Cambridge, 1876 p. 569 N near Alexandria
 3. E. quadrimaculata Cambridge, 1876 p. 569 D♂♀ Alexandria
 4. E. a. Cambridge, 1876 p. 569 N near Alexandria
 5. E. a. Simon, 1880a p. 48 N near Alexandria
 6. E. a. Levy & Amitai, 1981 pp. 178-180 f. 1-10 D♂♀
E. albomaculata Denis, 1951 B 406 ♀ (1) Egypt

Rec: ---

- E. campestrata Simon, 1907 R1 450 ♀ (1)

Rec: Cairo

- Ref: 1. E. c. Simon, 1907 p. 5 D♀ Cairo
E. quinqueguttata Thorell, 1875 R1 452 ♂♀ (10)

Rec: Siwa Oasis

- Ref: 1. E. q. Denis, 1947b p. 41 N Siwa

Genus **Latrodectus** Walckenaer, 1805

- L. geometricus C.L. Koch, 1841 R1 425 ♂♀ (11)

Rec: ---

- Ref: 1. L. g. Levi, 1959 pp. 21-24 f. 8-10, 25-28, 37, 39-50, 80-83
 map 1 D♂♀ Cosmotropical

- L. pallidus Cambridge, 1872 R1 425 ♀ (2)

Rec: Alexandria

- Ref: 1. L. p. Cambridge, 1872 pp. 287-8 D♀ in irregular snares
 spun among low plants and beneath stones, Alexandria
 2. L. p. Levi, 1959 p. 38 f. 22-24, 31, 33-34 map 7 D♂♀ Egypt
L. tredecimguttatus (Rossi, 1790) R1 425-6 ♂♀

Rec: Alexandria, Salahyeh

(29)

- Ref: 1. L. erebus Audouin, 1825 p. 137 pl. 3 f. 9 D♀ near Sâlahyeh
 2. L. argus Audouin, 1825 pp. 137-8 pl. 3 f. 10 D♀
 near Alexandria

3. *L. erebus* Cambridge, 1876 p. 567 N under stones among the ruins of an old building at Alexandria
4. *L. t. Pavesi*, 1878 p. 372 N Egypt
5. *L. t. var erebus* Simon, 1880a p. 47 N near Alexandria
6. *L. mactans t.* Levi, 1959 pp. 24-38 f. 1, 5-7, 19-21, 53-67, 72-79 maps 2-4 D♂♀

Genus **Nesticodes** Archer, 1950

- N. _____ rufipes* (Lucas, 1846) P 198 ♂♀ (2)
(*Theridion r.*) R1 459-460 ♂♀ (12)

Rec: Cairo

- Ref: 1. *Theridion bajulans* Koch, 1875 pp. 21-23 pl. 2 f. 4, 5 D♂♀ near Cairo
2. *Theridion r.* Levy & Amitai, 1982 pp. 86-89 f. 1-5 D♂♀

Genus **Paidiscura** Archer, 1950

- P. _____ dromedaria* (Simon, 1880) P 199 ♂♀ (2)

Rec: Ismailia

- Ref: 1. *Theridion d.* Simon, 1880c p. 99 D♂(♀?) Ismailia
2. *Theridion d.* Levy & Amitai, 1982 pp. 110-3 f. 58-64 D♂♀ Ismailia
- P. _____ musiva* (Simon, 1873) P 199 ♂♀ (2)

Rec: Sinai

- Ref: 1. *Theridion m.* Levy & Amitai, 1982 pp. 105-6 f. 43-47 D♂♀ Sinai: Qadesh Barnea

Genus **Steatoda** Sundevall, 1833

- S. _____ ephippiata* (Thorell, 1875) P 201 ♀ (1)
(*Lithyphantes e.*) R1 404 ♀ (1) Egypt

Rec: ---

- S. _____ erigoniformis* (Cambridge, 1872) P 201 ♂♀ (3)
(*Asagenella e.*) R1 397 ♂♀ (2)
(*Lithyphantes signatus*) R1 405 ♀ (2)

Rec: Alexandria

- Ref: 1. *Theridion e.* Cambridge, 1872 pp. 284-5 D♂♀ among herbage
2. *S. signata* Cambridge, 1876 p. 568 D♀ under a large stone at Alexandria
 3. *S. signata* Simon, 1880a p. 47 N near Alexandria
- S. _____ paykulliana* (Walckenaer, 1805) P 201 ♂♀ (1)
(*Lithyphantes p.*) R1 404-5 ♂♀ (24)

Rec: Alexandria, Sinai(southern)

- Ref: 1. *Latrodectus hamatus* Cambridge, 1870 p. 819 N convent gardens and back of Mount Sinai
2. *Lithyphantes hamatus* Cambridge, 1876 p. 568 N under stones, near Alexandria
 3. *Lithyphantes p.* Pavesi, 1878 p. 371 N Egypt
 4. *S. p.* Simon, 1880a p. 47 N near Alexandria
- S. _____ triangulosa* (Walckenaer, 1802) P 202 ♂♀ (4)
(*Teutana t.*) R1 416 ♂♀ (18)

Rec: Cairo, Wadi Natron

- Ref: 1. *Theridium t.* Koch, 1875 p. 23 N near Cairo
2. *S. t.* Pavesi, 1878 p. 371 N Egypt
 3. *Teutana t.* Strand, 1908a p. 96 N♀ Bir Hooker(Wadi-Natron)
- S. _____ venator* (Savigny, 1825) P 202 ♀ (1)

Rec: Alexandria

- Ref: 1. *Latrodectus v.* Audouin, 1825 p. 138 pl. 3 f. 11 D♀ near Alexandria

Genus **Theridion** Walckenaer, 1805

T. melanostictum Cambridge, 1876 R1 466 ♀ (1)

Rec: Alexandria

Ref: 1. T.m. Cambridge, 1876 pp. 570-1 D♀ on low plants,
near Alexandria

2. T.m. Levy & Amitai, 1982 pp. 99-102 f. 32-37 D♂♀
near Alexandria

T. spinitarse Cambridge, 1876 R1 471 ♀ (1)

Rec: Cairo, Luxor

Ref: 1. T.s. Cambridge, 1876 p. 570 D♀ on a low plant near Cairo

2. T.s. Pavesi, 1883 pp. 33-34 N Egypt

3. T. bifoveolatum Denis, 1944 pp. 48-49 pl. 2 f. 17 D♀ Louksor

T. tuberculatum Kroneberg, 1875 R1 472 ♂♀ (4)

Rec: Alexandria, Ismailia, Siwa Oasis, Suez

Ref: 1. T.t. Denis, 1947b p. 42 N Siwa
[Suez: Simon, 1890; Alexandria, Ismailia: Simon, 1880]

T. varians Hahn, 1831 R1 472-3 ♂♀ (24)

Rec: Alexandria

Ref: 1. T.v. Cambridge, 1876 p. 570 N on low plants,
near Alexandria

Family **Thomisidae**Genus **Firmicus** Simon, 1895

F. dewitzi Simon, 1899
(Synema multipunctatum d.) R2a 887 ♂ (3)

Rec: Wadi Natron

Ref: 1. F.d. Simon, 1899 pp. 246-7 f. 4 D♂ on Tamarix
Bir-Hooker (Wadi Natron)

2. F.d. Levy, 1985 pp. 33-34 f. 36-39 D♂♀ Egypt

Genus **Heriaeus** Simon, 1875

H. buffoni (Audouin, 1825) R2a 864-5 ♂♀ (5)

Rec: ---

Ref: 1. Thomisus b. Audouin, 1825 p. 164 pl. 6 f. 10 D♂

2. H.b. Levy, 1985 pp. 51-52 f. 67-70 D♂♀ Egypt

Genus **Misumena** Latreille, 1804

M. atrocincta Costa, 1875 B 609 ♂ (1) Egypt

Rec: ---

Genus **Ozyptila** Simon, 1864

O. judaea Levy, 1975 F 522 ♀ (2)

Rec: Sinai

Ref: 1. O.j. Levy, 1985 p. 68 F. 100, 101 D♀ Sinai

O. subclavata (Cambridge, 1876) R2a 880 ♀ (3)

Rec: Alexandria

Ref: 1. Xysticus s. Cambridge, 1876 pp. 584-5 D♀ near Alexandria

Genus **Pistius** Simon, 1875

P. truncatus (Pallas, 1772) (T) R2a 851-2 ♂♀ (33)

Rec: ---

Ref: 1. Thomisus m. Audouin, 1825 pp. 163-4 pl. 6 f. 9 D♂♀

Genus **Runcinia** Simon, 1875

R. lateralis (C.L. Koch, 1838) (T)
(R. cerina) R2a 853 ♂♀ (12)

Rec: Alexandria

Ref: 1. Thomisus l. Cambridge, 1876 p. 580 N among rushes
and other water plants in a marsh near Alexandria

2. Misumena l. Pavesi, 1878 p. 383 N Egypt

3. Thomisus l. Pavesi, 1883 pp. 58-59 N Egypt

4. R.l. Levy, 1985 pp. 45-46 f. 57-60 D♂♀

Genus **Synema** Simon, 1864

S. candicans (Cambridge, 1876) R2a 885 ♂♀ (1)

Rec: Alexandria

Ref: 1. Diaea c. Cambridge, 1876 pp. 580-1 D♂♀
on low plants near Alexandria

S. diana (Audouin, 1825)

(S. audouini) R2a 886 ♂♀ (7)

Rec: Cairo to Luxor, Siwa Oasis, Wadi Natron

Ref: 1. Thomisus d. Audouin, 1825 pp. 165-6 pl. 7 f. 1, 2 D♂
2. Thomisus d. Cambridge, 1872 p. 306 N on low-growing
plants, Egypt
3. Diaea d. Cambridge, 1876 p. 580 N on the branches of the
sont acacia at various places between Cairo and Thebes
4. S.d. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
5. S.d. Denis, 1947b p. 56 N Siwa, Zeitoun, Girba
6. S.d. Levy, 1985 pp. 58-59 f. 82-85 D♂♀ Egypt
S. globosum (Fabricius, 1775) (T) R2a 885-6 ♂♀ (25)

Rec: ---

Ref: 1. Thomisus rotundatus Audouin, 1825 p. 166-7 pl. 7 f. 3-5 D♂♀
2. S.g. Levy, 1985 pp. 55-56 f. 74-77 D♂♀
S. valentinieri Dahl, 1907 R2a 886 ♀ (1)

Rec: Upper Egypt

Ref: 1. S.v. Dahl, 1907 pp. 383, 390 D♀ Upper Egypt

Genus **Thomisus** Walckenaer, 1805

T. bidentatus Kulczyński, 1901 R2a 858 ♂♀ (2)

Rec: Sinai

Ref: 1. T.b. Levy, 1985 pp. 41-42 f. 51-54 D♂♀ Sinai
T. hilarulus Simon, 1875 R2a 855 ♂♀ (3)

Rec: Siwa Oasis

Ref: 1. T.h. Denis, 1947b pp. 54-55 N Siwa, Zegawa
on Acacia trees
T. onustus Walckenaer, 1805 (T) R2a 856 ♂♀ (28)

Rec: Siwa Oasis

Ref: 1. T. peronii Audouin, 1825 p. 163 pl. 6 f. 7, 8 D♀
2. T. albus Pavesi, 1878 pp. 382-3 N Egypt
3. T.o. Denis, 1947b pp. 53-54 N Siwa, El Arig
4. T.o. Levy, 1985 pp. 37-38 f. 43-46 D♂♀
T. spinifer Cambridge, 1872
(T. citrinellus) R2a 857 ♂♀ (7)

Rec: Assuan, Cairo to Luxor, Sinai?, Siwa Oasis, Wadi Natron

Ref: 1. T.s. Cambridge, 1872 pp. 308-9 pl. 14 f. 14 D♂♀ Egypt
on low-growing plants and flowers
2. T.s. Cambridge, 1876 p. 580 N
on low-growing plants and flowers, as well as on the
boughs of the sont acacia between Cairo and Thebes
3. T.s. Pavesi, 1883 pp. 57-58 N Egypt
4. T.s. Simon, 1899 p. 244 N Bir-Hooker (Wadi Natron)
5. T.s. Simon, 1907 pp. 6-7 N Assuan
6. T.s. Denis, 1947b p. 55 N Siwa, Zeitoun
7. T. citrinellus Levy, 1985 pp. 39-40 f. 47-50 D♂♀ Sinai?

Genus **Tmarus** Simon, 1875

T. piochardi (Simon, 1866) R2a 816 ♂♀ (4)

Rec: Siwa Oasis

Ref: 1. T.p. Denis, 1947b p. 53 N Siwa, Khamissa
2. T.p. Levy, 1985 pp. 25-27 f. 24-27 D♂♀

Genus **Xysticus** C.L.Koch, 1835X. _____ bliteus (Simon, 1875)

(Ozyptila b.) R2a 876 ♂♀ (2)

(Ozyptila audouini) R2a 875 ♂♀ (5)

Rec: Alexandria, Cairo

Ref: 1. Thomisus hirtus Audouin, 1825 pp. 164-5 pl. 6 f. 11 D♂

2. X. hirtus Cambridge, 1876 p. 581 N near Cairo

3. Oxyptila b. Simon, 1880a p. 48 N near Alexandria

4. Oxyptila hirta Simon, 1880a p. 48 N near Alexandria

5. X. b. Levy, 1985 pp. 86-87 f. 127-130 D♂♀

X. _____ clerckii (Audouin, 1825) R2a 909 ♀ (2)

Rec: ---

Ref: 1. Thomisus c. Audouin, 1825 p. 165 pl. 6 f. 13 D♀

2. X. c. Pavesi, 1883 pp. 63-64 N Egypt

X. _____ cristatus (Clerck, 1757) (T) R2a 899-900 ♂♀ (26)

Rec: Alexandria

Ref: 1. X. promiscuus Cambridge, 1876 pp. 581-3 D♂♀

on low plants, near Alexandria

2. X. c. Levy, 1985 pp. 90-92 f. 133-7 D♂♀

X. _____ ferus Cambridge, 1876 R2a 901 ♀ (1)

Rec: Alexandria, Sinai (southern)

Ref: 1. X. f. Cambridge, 1876 pp. 583-4 D♀

on a low plant, near Alexandria

2. X. f. Levy, 1985 pp. 81-82 f. 118-120 D♀

Sinai (Wadi Yah' med, southern Sinai)

X. _____ lalandii (Audouin, 1825) R2a 903 ♂♀ (3)

Rec: Sinai

Ref: 1. Thomisus l. Audouin, 1825 p. 165 pl. 6 f. 12 D♂♀

2. X. l. Levy, 1985 pp. 105-7 f. 166-9 D♂♀ southwestern Sinai

X. _____ peccans Cambridge, 1876 R2a 906 ♀ (2)

Rec: ---

Ref: 1. X. p. Cambridge, 1876 p. 584 D immature ♀ on plants, Egypt

X. _____ sabulosus (Hahn, 1831) R2a 906-7 ♂♀ (29) Egypt

Rec: ---

Family **Titanoecidae**Genus **Titanoeca** Thorell, 1869T. _____ albomaculata (Lucas, 1846) R2b 1372 ♂♀ (13)

Rec: Alexandria

Ref: 1. Amaurobius distinctus Cambridge, 1872 pp. 263-4 D♂♀

beneath stones and among debris of various kinds,

at Alexandria

2. T. distincta Cambridge, 1876 p. 557 N among the dead stems

and debris of bushes and under stones near Alexandria

3. T. a. Simon, 1880a p. 48 N near Alexandria

4. Amaurobius (T.) a. Simon, 1910 p. 276 N Egypt

T. _____ tristis L. Koch, 1872 R2b 1373 ♂♀ (10) Egypt

Rec: ---

Ref: 1. Amaurobius t. Koch, 1875 pp. 31-32 pl. 3 f. 3 D♀ (Ethiopia)

Family **Uloboridae**Genus **Uloborus** Latreille, 1806U. _____ plumipes Lucas, 1846 R2b 1338 ♂♀ (13)

Rec: Cairo to Assiut, Nile Valley and near Red Sea, Siwa Oasis

Ref: 1. U. signatus Cambridge, 1876 pp. 579-580 D♂ on a low plant

on the way up the Nile between Cairo and Siout

2. U.p. Simon, 1910 p.272 N all Egypt
the Nile Valley and on the Red Sea
3. U.p. Denis, 1947b p.28 N Siwa, from houses
U. walckenaerius Latreille, 1806 (T) R2b 1337-8 ♂♀
Rec: Siwa Oasis (19)
Ref: 1. U.w. Denis, 1947b pp.27-28 N Siwa, Khamissa

Family **Urocteidae**Genus **Uroctea** Dufour, 1820

- U. durandi (Latreille, 1809) R1 385 ♂♀ (18)
Rec: ---
Ref: 1. Clotho d. Audouin, 1825 pp.134-5 pl.3 f.6 D♀ (Mt. Carmel)
2. U.d. Pavesi, 1878 p.373 N Egypt
3. U.d. Simon, 1893 Hist.Nat.Ar., I(2):451 N (Mediterranean)
U. limbata (C.L.Koch, 1843) R1 385 ♂♀ (2)
Rec: Alexandria
Ref: 1. U.l. Cambridge, 1876 pp.546-7 N under stones, Alexandria
2. U.l. Simon, 1882 pp.241-2 N common in Egypt

Family **Zodariidae**Genus **Lachesana** Strand, 1932

- L. perversa (Savigny, 1825) R1 357 ♂ (4)
Rec: Cairo
Ref: 1. Lachesis p. Audouin, 1825 p.111 pl.1 f.4 D♂ near Cairo
Genus **Trygetus** Simon, 1882
T. sexoculatus (Cambridge, 1872) R1 365 ♀ (2)
Rec: Suez
Ref: 1. Palaestina s. Cambridge, 1872 p.270 D♀
2. T.sexoculatus Simon, 1893 Hist.Nat.Ar., I(2):438-9 N Suez
Genus **Zodarion** Walckenaer, 1847
Z. expers (Cambridge, 1876) R1 367 o (1)
Rec: Alexandria
Ref: 1. Enyo e. Cambridge, 1876 p.560 Do (immature ♀)
Alexandria, under a stone
Z. nitidum (Savigny, 1825) R1 370 ♂♀ (9)
Rec: Alexandria, Cairo
Ref: 1. Enyo n. Audouin, 1825 pp.135-6 pl.3 f.7 D♀
near Alexandria
2. Enyo longipes Audouin, 1825 pp.136 pl.3 f.8 D♂
near Cairo
3. Enyo n. Cambridge, 1876 pp.559-560 D♀
near Alexandria, under a stone
Z. occitaneum (Dugès, 1836) R1 370 ♂♀ (1)
Rec: --- Alexandria
Z. pileolonotatum Denis, 1935 R1 370 ♂♀ (2)
Rec: Siwa Oasis
Ref: 1. Z.p. Denis, 1935 pp.102-4 pl.1 f.4-6 D♂♀ (Giarabub)
2. Z.p. Denis, 1947b p.40 N Siwa, Tarterad

REFERENCES

- Andreeva, E.M., Hęciak, S. & Prószyński, J. 1984
Remarks on *Icius* and *Pseudicius* (Araneae, Salticidae) mainly from Central Asia.
Ann.zool., Warszawa, 37(13):349-376.
- Audouin, V. 1825
Explication sommaire des planches d'Arachnides de l'Égypte et de la Syrie, publiées par Jules-César Savigny.
In: Description de l'Égypte, ou Recueil des observations et des recherches qui ont été faites en Égypte pendant l'expédition de l'armée française. Histoire Naturelle. Tome Premier 1809. Paris. 4e partie, p.99-186.
- Ausserer, A. 1871
Beiträge zur Kenntniss der Arachniden-Familie der Territelariae Thorell (Mygalidae Autor.).
Verh.zool.bot.Ges.Wien, 21:117-224, pl.I.
- 1875
Zweiter Beitrag zur Kenntniss der Arachniden-Familie der Territelariae (Mygalidae Autor.).
Verh.zool.bot.Ges.Wien, 25:125-206, pl.5-7.
- Benoit, P.L.G. 1968
Synopsis des Filistatidae africains (Araneae).
Ann.Mus.civ.St.nat."G.Doria" Genova, 77:92-102.
- Blauwe, R.de 1980a
Revision de la famille des Agelenidae (Araneae) de la region mediterraneenne. (2e partie).
Bull.Inst.r.Sci.nat.Belg., 52(1)Ent.:1-54.
- 1980b
Revision de la famille des Agelenidae (Araneae) habitant la region mediterraneenne. (3e partie).
Bull.Inst.r.Sci.nat.Belg., 52(11)Ent.:1-28.
- Brignoli, P.M. 1977
Sur quelques Agelenidae et Hahniidae (Araneae) d'Afrique du Nord.
Rev.Arachnol., 1(1):13-21.
- 1979
On some African Decobius and Zimiris (Araneae, Decobiidae and Gnaphosidae).
Zool.Medec., 54(9):123-6.
- 1981
Studies on the Pholcidae, I. Notes on the genera *Antema* and *Physocylus* (Araneae).
Bull.Am.Mus.Nat.Hist., 170(1):90-100.
- 1982
Contribution à la connaissance des Filistatidae paléarctiques (Araneae).
Rev.Arachnol., 4(1-4):65-75.
- 1983
A Catalogue of the Araneae described between 1940 and 1981.
Ed. P.Merrett. 755pp. Manchester Univ.Press.
- Cambridge, D.P. 1870
Notes on a collection of Arachnida made by J.K.Lord, Esq., in the Peninsula of Sinai and on the African borders of the Red Sea.
Proc.Zool.Soc.Lond., 1870, p.818-823, pl.50.

- , 1872a
General list of the spiders of Palestine and Syria, with descriptions of numerous new species and characters of two new genera.
Proc.Zool.Soc.Lond., 1872, p.212-354, pl.13-16.
- , 1872b
Descriptions of twenty-four new species of Erigone.
Proc.Zool.Soc.Lond., 1872, p.747-769, pl.65-66.
- , 1876
Catalogue of a collection of spiders made in Egypt, with descriptions of new species and characters of a new genus.
Proc.Zool.Soc.Lond., 1876, p.541-630, pl.58-60.
- Caporiacco, L. di 1928
Risultati Zoologici della Missione inviata dalla R. Società Geografica Italiana per l'esplorazione dell'oasi di Giarabub (1926-1927). Aracnidi di Giarabub e di Porto Bardia.
Ann.Mus.Civ.St.Nat.Genova, 53:77-107.
- Cooke, J.A.L. 1964
A revisionary study of some spiders of the rare family Prodidomidae
Proc.Zool.Soc.Lond., 142(2):257-305.
- Dahl, F. 1907
Synaema marlothi, eine neue Laterigraden-Art und ihre Stellung im System.
Mitt.Zool.Mus.Berlin, 3(3):369-395.
- Dalmas, le Comte de 1918
Synopsis des Araignées de la Famille des Prodidomidae.
Ann.Soc.ent.Fr., 87:279-340.
- 1919
Catalogue des Araignées du genre Leptodrassus (Gnaphosidae), d'après les matériaux de la collection E.Simon au Muséum National d'Histoire Naturelle.
Bull.Mus.natn.Hist.nat., 25:243-250.
- 1920
Monographie des Araignées de la section des Pterotricha (Aran. Gnaphosidae).
Ann.Soc.ent.Fr., 89:233-328.
- 1922
Catalogue des Araignées récoltées par le Marquis G.Doria dans l'île Giglio (Archipel toscan).
Ann.Mus.Civ.St.Nat.Giacomo Doria (Genova), 50(Serie 3, vol.x):79-96.
- Deeleman-Reinhold, C.L. & Prinsen, J.D. 1987
Micropholcus fauroti (Simon) n.comb., a pantropical, synanthropic spider (Araneae : Pholcidae).
Ent.Ber., Amst., 47(5):73-77.
- Denis, J. 1935
Sur deux araignées de Cyrénaïque
Ann.Mus.Civ.St.Nat.Giacomo Doria (Genova), 57:100-104, pl.1.
- , 1936
On a collection of spiders from Algeria.
Proc.Zool.Soc.Lond., 1936:1027-1060, 5pls.
- , 1944
Descriptions d'Araignées Nord-Africaines.
Bull.Soc.Hist.nat.Toulouse, 79(1):41-57, 2pls.
- , 1947a
Deux rectifications synonymiques concernant les araignées.
Bull.Soc.Hist.nat.Toulouse, 82:103-4.

- , 1947b
Results of the Armstrong college expedition to Siwa oasis (Libyan desert), 1935.
Bull.Soc.Fouad 1er Entom.,31:17-103, 6pls.
- , 1948
A new fact about Erigone vagans Aud.and Sav.
Proc.Zool.Soc.Lond.,1948:588-590.
- , 1965
Les Araignées du Fezzan.
Bull.Soc.Hist.nat.Afr.N.,55:103-144.
- El-Hennawy, H.K. 1987a
Preliminary notes on the biology, distribution, and predatory behaviour of Pseudopompilus humboldti (Dhlb.)(Hymenoptera : Pompilidae).
SERKET,1(1):1-11.
- , 1987b
A list of Egyptian spider genera.
SERKET,1(1):12-14.
- , 1987c
New records of Stegodyphus dufouri (Audouin)1825 (Araneida : Eresidae) from Egypt.
SERKET,1(1):19.
- , 1988
Hasarius adansonii (Audouin,1825)(Araneida:Salticidae) in Egypt.
SERKET,1(3):21.
- Fage, L. 1929
Mission Saharienne Augiéras-Draper,1927-1928. Araignées Nouvelles.
Bull.Mus.natn.Hist.nat.,Paris,2e,1(4):248-254.
- Forskål, P. 1775
Descriptiones Animalium, Avium, Amphibiorum, Piscium, Insectorum, Vermium; quae in itinere orientali. Ed. Carsten Niebuhr
Hauniae, 1775. 164pp. (Copenhagen)
- Grasshoff, M. 1970a
Die Tribus Mangorini. I. Die Gattungen Eustala, Larinia s.str., Larinopa n.gen.(Arachnida:Araneae:Araneidae-Araneinae).
Senckenberg.biol.,51(3/4):209-234.
- , 1970b
Die Tribus Mangorini. II. Die neuen Gattungen Siwa, Paralarinia, Faradja, Mahembea und Lariniaria (Arachnida:Araneae:Araneidae-Araneinae).
Senckenberg.biol.,51(5/6):409-423.
- , 1971
Die Tribus Mangorini. III. Die Gattung Drexelia MacCook (Arachnida: Araneae:Araneidae-Araneinae).
Senckenberg.biol.,52(1/2):81-95.
- Hassan, A.I. 1950
The Theraphosidae in Egypt, with a description of Chaetopelma shabati spec.nov.(Araneae).
Bull.Soc.Fouad 1er Entom.,34:159-171.
- , 1953
The Decobiidae of Egypt.
Bull.zool.Soc.Egypt,11:14-30.
- Hęciak, S. & Prószyński, J. 1983
Remarks on Langona Simon (Araneae, Salticidae).
Ann.zool.,Warszawa,37(4):207-233.

- Koch, L. 1867
Zur Arachniden- und Myriapoden-Fauna Süd-Europa's.
Verh. zool. bot. Ges. Wien, 17: 857-900.
- , 1875
Aegyptische und Abyssinische Arachniden, gesammelt von Herrn
C. Jickeli. Nürnberg 1875. 96pp., 7pls.
- Kritscher, E. 1960
Zur Kenntnis des Genus *Cerbalus* Simon 1897 (Aran., Eusparassidae).
Anz. öst. Akad. Wiss. Math.-Naturwiss. Kl., 97: 271-279.
- , 1966
Die paläarktischen Arten der Gattung *Decobius* (Aran., Decobiidae).
Ann. Naturhist. Mus. Wien, 69: 285-295, 2pls.
- Levi, H.W. 1959
The spider genus *Latrodectus* (Araneae, Theridiidae).
Trans. Amer. Micros. Soc., 78(1): 7-43.
- Levy, G. 1977
The Philodromid spiders of Israel (Araneae, Philodromidae).
Isr. J. Zool., 26: 193-229.
- , 1985
Fauna Palaestina. Arachnida II. Araneae: Thomisidae.
Jerusalem. 115pp., 1pl.
- , 1986
Spiders of the genera *Siwa*, *Larinia*, *Lipocrea* and *Drexelia*
(Araneae: Araneidae) from Israel.
Bull. Br. arachnol. Soc., 7(1): 1-10.
- , & Amitai, P. 1981
Spiders of the genera *Euryopis* and *Dipoena* (Araneae: Theridiidae)
from Israel.
Bull. Br. arachnol. Soc., 5(4): 177-188.
- , & -----, 1982
The comb-footed spider genera *Theridion*, *Achaearanea* and
Anelosimus of Israel (Araneae: Theridiidae).
J. Zool., Lond., 196: 81-131.
- Linnaeus, C. 1758
Systema Naturae. Tomus I. Regnum Animale.
Holmiae 1758. 10th edition. 824pp. (Stockholm)
- Millidge, A.F. 1988
Genus *Prinerigone*, gen. nov. (Araneae: Linyphiidae).
Bull. Br. arachnol. Soc., 7(7): 216.
- Pavesi, P. 1878
Aracnidi aggiunto un catalogo sistematico delle specie di Grecia.
Ann. Mus. Civ. St. Nat. Genova, 11: 335-396.
- , 1883
Spedizione Italiana nell'Africa Equatoriale - Risultati Zoologici.
Aracnidi del Regno di Scioa
Ann. Mus. Civ. St. Nat. Genova, 20: 5-105.
- Platnick, N.I. 1981
A review of the spider subfamily *Palpimaninae* (Araneae,
Palpimanidae), I.
Bull. Br. arachnol. Soc., 5(4): 169-173.
- , 1989
Advances in Spider Taxonomy 1981-1987.
Ed. P. Merrett 673pp. Manchester Univ. Press.

- Platnick, N.I. & Murphy, J.A. 1984
A revision of the spider genera *Trachyzelotes* and *Urozelotes* (Araneae, Gnaphosidae).
Am. Mus. Novitates, 2792: 1-30.
- Prószyński, J. 1968
Systematic revision of genus *Yllenus* Simon, 1868 (Araneida, Salticidae).
Ann. zool., Warszawa, 26(19): 409-494.
- , 1971
Catalogue of Salticidae (Aranei) specimens kept in major collections of the world.
Ann. zool., Warszawa, 28(17): 367-519.
- , 1985
On *Siler*, *Silerella*, *Cyllobelus* and *Natta* (Araneae, Salticidae).
Ann. zool., Warszawa, 39(2): 69-85.
- Punda, H. 1975
Remarks on the genus *Yllenus* Simon, 1868 (Aranei: Salticidae).
Ann. Zool., 33(3): 35-44.
- Raven, R.J. 1985
The spider Infraorder Mygalomorphae (Araneae): Cladistics and systematics.
Bull. Amer. Mus. Nat. Hist., 182(1): 1-180.
- Roewer, C.F. 1942
Katalog der Araneae von 1758 bis 1940.
1. Band 1040pp. Bremen.
- , 1954
Katalog der Araneae von 1758 bis 1940, bzw. 1954.
2. Band Abt. a pp: 1-924, Abt. b pp: 925-1751. Bruxelles.
- Scopoli, I.A. 1763
Entomologia Carniolica exhibens Insecta Carnioliae Indigena et Distributa in Ordines, Genera, Species, Varietates. Methodo Linnaeana. Vindobonae 1763. (Vienna)
(Aranea: No. 1077-1120, pp. 392-404).
- Simon, E. 1880a
Liste d'Arachnides recueillis aux environs immédiats d'Alexandrie (Égypte) par M.A. Letourneux.
Ann. Soc. ent. Fr., (5) 10. Bull. pp. 47-48.
- , 1880b
Description d'un nouveau genre d'Arachnides de la famille des Dictynidae.
Ann. Soc. ent. Fr., (5) 10. Bull. pp. 54-55.
- , 1880c
Descriptions de trois nouvelles espèces d'Arachnides d'Égypte, reçues de M.A. Letourneux.
Ann. Soc. ent. Fr., (5) 10. Bull. pp. 98-99.
- , 1882
Viaggio ad Assab nel Mar Rosso, dei signori G. Doria ed O. Beccari con il R. Avviso "Esploratore" dal 16 Novembre 1879 al 26 Febbraio 1880.
II. Étude sur les Arachnides de l'Yemen Méridional.
Ann. Mus. Civ. St. Nat. Genova, 18: 207-260, pl. 8.
- , 1884
Études Arachnologiques, 16e Mémoire, XXIII Matériaux pour servir à la faune des Arachnides de la Grèce.
Ann. Soc. ent. Fr., 6(4): 305-356.

- . 1889
 Arachnide transcaspicae ab ill. Dr. G. Radde, Dr. A. Walter et
 A. Conchin inventae (annis 1886-1887).
 Verh. zool. bot. Ges. Wien, 39:373-386.
- . 1892-1903
 Histoire Naturelle des Araignées. 2ème ed. Paris.
 Tome I(1-4) 1892-5: 1084pp., Tome II(5-8) 1897-1903: 1080pp.
- . 1893
 Études Arachnologiques, 25e Mémoire, XL Descriptions d'espèces
 et de genres nouveaux de l'ordre des Araneae.
 Ann. Soc. ent. Fr., 62:299-330, pl. 7.
- . 1898
 Descriptions d'Arachnides Nouveaux des familles des Agelenidae,
 Pisauridae, Lycosidae et Oxyopidae.
 Ann. Soc. ent. Belg., 42:5-34.
- . 1899
 Arachnides recueillis par M. C.-J. Dewitz en 1898, à Bir-Hooker
 (Wadi Natron), en Égypte.
 Bull. Soc. ent. Fr., 1899, pp. 244-247.
- . 1901
 Descriptions d'Arachnides nouveaux de la famille des Attidae
 (Suite)(1).
 Ann. Soc. ent. Belg., 45:141-161.
- . 1907
 Arachnides recueillis en Égypte et le long du Nil Blanc
 par la Mission zoologique suédoise, 1901. Arachnida.
 In: Results of the Swedish Zoological Expedition
 to Egypt and the White Nile. 21:1-10.
- . 1910
 Catalogue raisonné des Arachnides du Nord de l'Afrique
 (1re partie).
 Ann. Soc. ent. Fr., 79:265-332.
- Smith, A. M. 1988
 The Tarantula, classification and identification guide.
 Fitzgerald Publishing, London. 179pp.
- Strand, E. 1906
 Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr
 von Erlanger gesammelter Spinnen.
 Zool. Anz., 30(19-22):605-690.
- . 1908a
 Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr von
 Erlanger gesammelter Aviculariidae, Drassidae und Theridiidae.
 Jahresh. Ver. Nat. Württlg., 64:11-101.
- . 1908b
 Diagnosen nordafrikanischer, hauptsächlich von Carlo Freiherr
 von Erlanger gesammelter Clubioniden.
 Archiv Math. Natur., 29(2):3-70.
- . 1908c
 Nordafrikanische Spinnen, hauptsächlich von Carlo Freiherr von
 Erlanger gesammelt (Dictynidae, Eresidae, Sicariidae, Dysderidae,
 Caponiidae, Palpimanidae, Zodariidae, Urocteidae, Pholcidae,
 Agelenidae, Pisauridae).
 Archiv Naturg., 74, I(1):67-128, pl. 2: f. 1a-8a.

Wesołowska, W. 1986

A revision of the genus *Heliophanus* C.L.Koch, 1833
(Aranei : Salticidae).

Ann.zool., Warszawa, 40(1):1-254.

-----, 1988

Redescriptions of three species of the genus *Icius* Simon, 1876
(Aranei : Salticidae).

Ann.zool., Warszawa, 41(11):395-402.

C O N T E N T S

Volume 1, Part 4-5 (pp. 1-49)

	Page
Preface	
Annotated checklist of Egyptian spider species (Arachnida : Araneae)	1

Date of publication : March 1990